

RECENT LITERATURE ON LEPIDOPTERA

(Under the supervision of PETER F. BELLINGER)

Under this heading are included abstracts of papers and books of interest to lepidopterists. The world's literature is searched systematically, and it is intended that every work on Lepidoptera published after 1946 will be noticed here; omissions of papers more than 3 or 4 years old should be called to Dr. BELLINGER's attention. New genera and higher categories are shown in CAPITALS, with types in parentheses; new species and subspecies are noted, with type localities if given in print. Larval foodplants are usually listed. Critical comments by abstractors may be made. Papers of only local interest and papers from *The Lepidopterists' News* are listed without abstract. Readers, particularly outside of North America, interested in assisting with this very large task, are invited to write Dr. BELLINGER (University College of the West Indies, Mona, St. Andrew, Jamaica, B.W.I.). Abstractors' initials are as follows: [P.B.] — P. F. BELLINGER; [A.D.] — A. DIAKONOFF; [W.H.] — W. HACKMAN; [E.M.] — E. G. MUNROE; [N.O.] — N. S. OBRAZTSOV; [C.R.] — C. L. REMINGTON; [J.T.] — J. W. TILDEN; [P.V.] — P. E. L. VIETTE.

A. GENERAL

- Bergmann, A., *Die Grossschmetterlinge Mitteldeutschlands*. Vol.4: *Eulen*. Part I: 580 pp., 47 pls., 171 figs. Part 2: 480 pp., 37 pls., 132 figs. Jena: Urania-Verlag. 1954. [Not seen].
- Brandt, Herbert, *Schmetterlinge*. Erster Teil (Winters Naturwissenschaftliche Taschenbücher, vol.20). 176 pp., 64 pls., 55 figs. Heidelberg: Carl Winter, Universitätsverlag. 1953. [Not seen].
- Brues, Charles T., A. L. Melander, & Frank M. Carpenter, *Classification of insects. Keys to the living and extinct families of insects, and to the living families of other terrestrial arthropods*. Bull. Mus. Comp. Zool. Harvard, vol.108: v + 917 pp., 1219 figs. 1954. A revised edition of this unique work. Includes keys to adults and larvæ of Lepidoptera, revised by C. L. REMINGTON. [P.B.]
- Forster, Walter, & Theodore A. Wohlfahrt, *Die Schmetterlinge Mitteleuropas*, vol.1. xii + 202 pp., 147 figs. Stuttgart: Franckh'sche Verlagshandlung. 1952-54. See reviews in *Lepid. News*, vol.6: pp. 79-80; vol.7: p.26; vol.8: pp.170-171.
- Koch, Manfred, *Wir bestimmen Schmetterlinge*. Vol.1: *Tagfalter Deutschlands (unter Ausschluss der Alpengebiete)*. 119 pp., 16 pls., 63 figs. Radebeul & Berlin: Neumann Verlag. 1954. [Not seen].
- Koch, Manfred, & Kurt Herschel, *Falter bei Tag und bei Nacht*. 288 pp. (incl. 132 col. pls.) Radebeul & Berlin: Neumann Verlag. 1953. [Not seen].
- Tietz, Harrison M., *The Lepidoptera of Pennsylvania. A manual*. xii + 194 pp., 2 figs. State College, Pa. 1952. See review in *Lepid. News*, vol.8: pp.172-173.

B. SYSTEMATICS AND NOMENCLATURE

- Alberti, B., "Die systematische Stellung der Genera *Caffricola* Hmps. und *Arctozygæna* Gaede (Lep. Zygænidæ)" [in German]. Rev. Zool. Bot. Afric., vol.50: pp.40-44, 2 figs. Nov. 1954. Note on the systematic position of the genera *Caffricola* and *Arctozygæna* and description of *C. vicina* from Transvaal. [P.V.]
- Amsel, H. G., "Zur Nomenklatur von *Lita amaurella* Rbl. (Lepidoptera: Gelechiidæ)" [in German]. Zeits. Wiener Ent. Ges., vol.38: pp.274-275. 15 Oct. 1953. Proposes new name: *Gnorimoschema hispanicella* (=*Lita amaurella* Rbl., 1927, nec Hering, 1924). [N.O.]
- Bauer, David L., "An apparent hybrid *Limenitis* from Arizona." *Lepid. News*, vol.8: pp.129-130. 20 Oct. 1954.
- Beirne, Bryan P., *British pyralid and plume moths*. 208 pp., 16 pls., 189 figs. London: Frederick Warne & Co., Ltd., 15 Sept. 1952. (See review in *Lepid. News*, vol.8, p.49).
- Berger, L. R., "Liptena ('Tetrarbanis') nouveaux du Congo Belge (Lepidoptera Lycenidæ)" [in French]. Ann. Mus. Roy. Congo Belge, Sci. Zool., ser. in 4°, n. s. vol.1: pp.306-309, 13 figs. 1954. Descriptions of two new species of *Liptena* from the Belgian Congo: *L. (T.) stempfferi* and *L. (T.) schoutedeni*. [P.V.]

- Bigelow, R. S., & C. Reimer, "An application of the linear discriminant function to insect taxonomy." *Canad. Ent.*, vol.86: pp.69-73. 10 March 1954. Definition of comparative characters in quantitative terms. [E.M.]
- Bourgogne, J., "Un *Oreopsycche* nouveau du Portugal et de l'Espagne (Psychidæ)" [in French]. *Rev. franç. Lépid.*, vol.14: pp.133-137, 2 pls., 7 figs. 1954. Describes as new *O. matthesi*, a psychid from Portugal and Spain. [P.V.]
- Boursin, Charles, "Über die Gattung *Allophyes* Tams nebst Beschreibung einer neuen Art aus Klein-Asien (Lep. Phalænidæ (Noctuidæ). (Beiträge zur Kenntnis der 'Agrotidæ-Trifinæ', 59)" [in German]. *Mitt. Münchn. Ent. Ges.*, vol.43: pp.239-247, 3 figs. 1 July 1953. Discusses systematic position and characters of the genus, and the classification of the species. Describes as new *A. metaxys* (Marash, N. Syria); proposes *Blephariata draudti* new name for *Meganephria adusta* Drdt. (nec Esp.). Figures moths and ♂ genitalia. [N.O.]
- Boursin, Charles, "Zwei neue paläarktische *Cryphia* (*Bryophila*)-Arten (Beiträge zur Kenntnis der 'Agrotidæ-Trifinæ', LX)" [in German]. *Mitt. Münchn. Ent. Ges.*, vol.43: pp.248-251, 1 pl. 1 July 1953. Describes as new *C. rückbeili* (Dzharkent, Prov.Ili) and *C. raddei* (Dshafar-Aga, Turkish Armenia); figures types and ♂ genitalia. Figures without any description *C. ravuloides*, "new species" (Kashmir). [N.O.]
- Boursin, Charles, "Eine neue Gattung der Unterfamilie Agrotinæ aus dem vorderasiatisch-mediterraneen Faunenkreis. (Beiträge zur Kenntnis der 'Agrotidæ-Trifinæ' 62)" [in German]. *Zeits. Wiener Ent. Ges.*, vol.38: pp.212-217, 4 pls. 15 Aug. 1953. Describes as new *PACHYAGROTIS* (type *Cladocerotis ankarensis* Rbl.). Discusses relationship, figures genitalia and other structures of the new and related genera. [N.O.]
- Boursin, Charles, "Über die systematische Stellung von "*Leucochlaena*" *orana* Lucas. Nebst Beschreibung einer neuen Gattung und einer neuen Art aus Französisch Marokko. (Beiträge zur Kenntnis der Agrotidæ-Trifinæ, 63)" [in German; French summary]. *Zeits. Wiener Ent. Ges.*, vol.38: pp.239-244, 1 pl. 15 Sept. 1953. Describes as new *EREMOCHLÆNA* (type *orana* Lucas), with *E. oranooides* (Rabat, Fr. Morocco). [N.O.]
- Brown, F. Martin, "Taxonomic notes on *Œneis uhleri* Reakirt (Lepidoptera, Satyridæ)." *Amer. Mus. Novit.*, no.1625: 26 pp., 8 figs. 6 May 1953. Describes as new *O. u. reinthali* (Gothic, Colo.). Statistical analysis of size, color, and pattern variation in some populations of spp. *reinthali*, *uhleri*, and *varuna* [P.B.]
- Brown, F. Martin, "The subspecies of *Œneis alberta* (Lepidoptera, Satyridæ)." *Amer. Mus. Novit.*, no.1626: 21 pp., 10 figs. 6 May 1953. Statistical analysis of populations of spp. *alberta*, *oslari*, and *daura*; the first two are doubtfully distinct. [P.B.]
- Chiarelli de Gahan, Angelina, & Enrique Augustín Touron, "Biología y taxonomía de *Heliothis armigera* (Hbn.)" [in Spanish]. *Rev. Invest. Agric.*, vol.8: pp. 111-148, 21 figs. Aug. 1954. Synonymizes *Thyreion gelotopoeon* under *H. armigera*. Gives an extremely thorough description of all stages and biology. A model paper, but the separation of the North American species from the Old World *H. armigera* has been overlooked. [P.B.]
- Clench, Harry K., "The identity of *Crambidia allegheniensis* (Lithosiidæ)." *Lepid. News*, vol.8: pp.93-94. 17 Sept. 1954.
- Colenette, C. L., "New and little known African Lymantriidæ (Lepidoptera: Heterocera)." *Trans. Roy. Ent. Soc. London*, vol.105: pp.146-155, 1pl. 16 Aug. 1954. Describes as new *Cropera aphanta* (Elizabethville, Belgian Congo); *Marbla haplora* (Kigezi, 7500-8000', Uganda); *Euproctis episema* (Elizabethville); *Paraproctis chionopeza* Mpika, N. Rhodesia); *Memerophanes diatoma triphyes* (Elizabethville); *Dasychira thika* (Thika Road, Kenya); *Euproctidion periblepta* (Elizabethville); also several "forms". Figures adults. Revisional notes and new synonymy in *Hemerophanes* and *Dasychira*, and notes on some other spp. [P.B.]
- Colenette, C. L., "Two new Lymantriidæ from the Belgian Congo." *Rev. Zool. Bot. Afric.*, vol.50: pp.7-9, 2 figs. Nov. 1954. Describes as new *Dasychira phædripoda* and *D. eudela*, both from Elizabethville. [P.V.]
- Cox, Constance E., "Analysis of frequency distribution of adults and larvae of *Choristoneura fumiferana* (Clem.) and *C. pinus* Free. (Lepidoptera: Tortricidæ)." *Canad. Ent.*, vol.85: pp.136-141, 4 figs. 15 April 1953. Significant differences in postclypeal indices and uncus widths are shown for the two species. In addition, a bimodality of unexplained origin is shown in 2 larval and one adult character of *C. pinus*. Frequency distributions of these characters in *C. fumiferana* were unimodal. [E.M.]

- Daniel, Franz, "Neue Heterocera-Arten und -Formen" [in German]. *Mitt. Münchn. Ent. Ges.*, vol.43: pp.252-261, 1 pl. 1 July 1953. Describes as new *Spilarctia tschitaensis* (Tshita, Transbaicalia), *S. hanica* (Hanoi, Tonking); *Callimorpha quadripunctaria rhodosensis*; *SELENEPHERIDES*, and type *S. monotona* (Tapaishan in Tsinling, S. Shensi), *S. m. likiangica* (Li-kiang, N. Yunnan); *Lemonia syriensis* (Marash, N. Syria); *Cossus cossus afghanistana* (Wardik, Afghanistan); *C. aksuensis* (Ak-su Valley, Thian-shan); *DYSPESSACOSSUS*, and type *D. hadjinensis* (Hadjin, Asia Minor); *Catopta thrips polonica* (Babince, Podolia); *Dyspessa salicicola aschabadensis* (Aschabad, C. Asia). [N.O.]
- Daniel, Franz, "Untersuchung der Typen von *Endrosa pseudokublweini* Vorbr. (Lep.-Het)" [in German]. *Nachrbl. Bayer. Ent.*, vol.3: pp.52-54, 1 fig. 15 May 1954. Discusses distinguishing features of this and other European *Endrosa* species. [N.O.]
- Drianovski, A., "Crypsedra niphopasta Obrth. (Insecta, Lepidopt.) subsp. *bulgarica* aus Bulgarien" [in Bulgarian, German summary]. *Izv. Zool. Inst. Bulg. Akad. Nauk.*, vol.3: pp.373-376. 1953. New subspecies. [Not seen].
- Dufrane, A., "Sur quelques Lycénidæ d'Afrique [in French]. *Bull. Ann. Soc. Ent. Belg.*, vol.90: pp.282-286. Oct. 1954. Notes on the determinations and the last publications of the author on African Lycénidæ. Describes as new *Iolaus silas maureli* (Harrar, Ethiopia); *Spindasis trimeni congolanus* (Luebo, Belgian Congo); *Axiocerces maureli* (Harrar, Ethiopia). Types in the author's collection. [P.V.]
- Dufrane, A., "A propos de *Syntarucus pulchra* Murray (Lép. Lyc.)" [in French]. *Bull. Ann. Soc. Ent. Belg.*, vol.90: pp.66-68. 1954. Correction of the citation of *S. pulchra* from Kivu (Belgian Congo). [P.V.]
- Ehrlich, Paul R., "Notes on *Erebia rossii* Curtis (Lepidoptera, Satyridæ)." *Ent. News*, vol.65: pp.225-227. 1954. Suggests that *E. r. gabrieli* dos Passos will prove to be a synonym of *E. r. kuskoquim* Holland. Speculates as to the possible causes of the peculiar distribution of *E. rossii*. [J.T.]
- Ferguson, Douglas C., "On the identity and status of *Eubaphe lamae* Freeman (Lepidoptera, Arctiidæ)." *Canad. Ent.*, vol.85: pp.371-373, 9 figs. 21 Oct. 1953. Considers *E. lamae* a sp. distinct from *E. aurantiaca*. The application of the name *bimaculata* is doubtful. [E.M.]
- Ferguson, Douglas C., "Revision of the *occiduaria argillaceaaria* complex of the genus *Iame*, with descriptions of new races (Lepidoptera, Geometridæ)." *Canad. Ent.*, vol.85: pp.453-461, 18 figs. [numbered 1-4, 1-14:]. 30 Dec. 1953. Describes as new "races" *I. andersoni orientis* (Auburn, Kings Co., N. S.) and *I. sulphurea ambloflava* (Calgary, Alta.). Distinguishes *I. occiduaria*, *andersoni*, *argillaceaaria*, and *sulphurea*. A useful and needed contribution. [E.M.]
- Ferguson, Douglas C., "A revision of the genus *Hypenodes* Doubleday with descriptions of new species (Lepidoptera, Phalaenidæ)." *Canad. Ent.*, vol.86: pp.289-298, 3 pls. 20 Aug. 1954. Describes as new: *H. palustris* (Prospect Road, Halifax Co., N. S.), *H. sombrus* (Concord, N. H.), and *H. franclemonti* (Halifax Co., N. S.). An excellent paper. [E.M.]
- Fletcher, D. S., "A revision of the genus *Eubaphe* (Lepidoptera: Geometridæ)." *Zoologica, N. Y.*, vol.39: pp.153-166, 63 figs. 31 Dec. 1954. Describes as new *E. pumilata* (Holguin, Cuba); *E. unicolor venustata* (Calderas, Guatemala); *E. deceptata* (Orizaba, Mexico); *E. fieldi* (San Esteban, Venezuela); *E. orfilai* (Matto Grosso, Brazil). Synonymizes *E. aurata* under *Oncopus citrosa*. Redescribes 21 spp., figuring genitalia of 20. Resdescribes genus and the related genera *Eudule* and *Eudulophasia*, and lists spp. of these. The valid name for the arctiid genus usually called *Eubaphe* is stated to be *Holomelina*. [P.B.]
- Fletcher, D. S., & E. T. M. Reid, "A synonymic list of the genus *Arcyphora* Guenée (Agrotidæ, Westermaniinæ). With observations on adult feeding habits." *Proc. Roy. Ent. Soc. London (B)*, vol.24: pp.197-204. 31 Dec. 1954. *Sectotena* and *Gonixestis* are synonyms of *Arcyphora*. Key to known species. Adults of at least 3 spp. feed on the lacrymal exudations of cattle. [P.B.]
- Forbes, William T. M., "Presidential address to Los Angeles meeting of the Lepidopterists' Society." *Lepid. News*, vol.8: pp.1-4. 25 June 1954.
- Freeman, T. N., "A note on the occurrence of a European tortricid, *Cnephiasia virgaureana* Treit., in Newfoundland with new synonymy (Lepidoptera)." *Canad. Ent.*, vol.85: p.291. 16 Sept. 1953. Sinks *oleraceana* as a synonym. [E.M.]
- Freeman, T. N., "The spruce budworm, *Choristoneura fumiferana* (Clem.) and an allied new species on pine (Lepidoptera: Tortricidæ)." *Canad. Ent.*, vol.85: pp.121-127,

- 22 figs. 15 May 1953. Describes as new and figures *C. pinus* (Beauséjour, Man.), a widely distributed Canadian pine-feeding sp., and compares it with the sibling sp. *C. fumiferana* and with certain other Nearctic relatives. [E.M.]
- Gerhardinger, Klaus, "Diacrisia sannio L." [in German]. *Zeits. Wiener Ent. Ges.*, vol.38: pp.289-308, 1 pl. 15 Nov. 1953. Monograph. [N.O.]
- Gillham, Nicholas W., & Paul R. Ehrlich, "The naming of subspecies in Lepidoptera." *Lepid. News*, vol.8: p.100. 17 Sept. 1954.
- Herbulot, Cl., "Lépidoptères géométrides" in "La réserve naturelle intégrale du Mont Nimba" [in French]. *Mem. Inst. Franç. Afr. Noire*, no.40: pp.301-333, 1 pl., 17 figs. 19 Nov. 1954. Study of a collection of Geometridæ from the Nimba Mts. (French Guinea); describes as new: *Mixocera sudanica* (Geometrinæ); *Scopula mendax*, *S. subsincera* (Sterrhinæ); *Piercia occidentalis*, *Ctenaulis acutivalvis* (Larentiinæ); *Eulycia excavata*, *Colocleora splendens*, *Miantochora fletcheri*, *M. lisa*, *M. discalis*, *Geolyces contracta*, *Mesothisa royi*, *Neoleora lamottei*, *Zamarada melanopyga*, *Z. corroborata*, *Z. cydippe*, *Thysanopyga limbata* (Ennominæ). [P.V.]
- Hering, Erich M., "Die Gattung *Crothæma* Btl. (Lep. Cochliidiidæ)" [in German]. *Ann. Mus. Roy. Congo Belge, Sci. Zool.*, ser. in 4°, n. s. vol.1: pp.381-386, 7 figs. 1954. Study of the different species of the genus *Crothæma* (of Africa and Madagascar) with a key to species. Description of a new species: *C. schoutedeni* (Belgian Congo). Erects for this genus a new subfamily CROTHÆMINÆ. The family Cochliidiidæ now contains two subfamilies: *Crothæminæ* (genus typicum: *Crothæma* Btl.) and *Cochliidiinæ* (genus typicum: *Cochlidion* Hbn.). [P.V.]
- Holik, Otto, & Leo Sheljuzhko, "Über die Zygaenæ-Fauna Osteuropas, Kleinasiens, Irans, Zentralasiens und Sibirien" [in German]. *Mitt. Münchn. Ent. Ges.*, vol.43: pp.102-226. 1 July 1953. Revision of *Zygaena* species on a zoogeographical basis. Discusses 6 spp. Describes as new subspecies of *Z. (Mesembrinus) purpuralis* Brünn: *Z. p. alagrica* (Urch Valley near Ach-sau, N. Ossetia), *Z. p. alagezi* (Inaklu, Russian Armenia), *Z. p. zangezuri* (Ochotski, near Kafan, Russian Armenia), *Z. p. talassica* (Aulie-Ata, W. Ala-tau). Names 2 aberrations of *Z. cambysea rosacea*. To be continued. [N.O.]
- Kautz, Hans, "Bemerkungen zu den Arten *Pieris napi* L., *bryoniae* O., *adalwinda* Fruhst. und zur mod. *bibernica* Schmidt" [in German]. *Zeits. Wiener Ent. Ges.*, vol.38: pp. 258-261. 15 Oct. 1953. Discusses characters and variation. [N.O.]
- Kiriakoff, S. G., "Les Thyretidæ du Musée Royal du Congo Belge (Lepidoptera Notodontoidea)" [in French]. *Ann. Mus. Roy. Congo Belge, sér. in 8°, Sci. Zool.*, vol.26: 91 pp., 7 pls. Dec. 1953. Study of the Thyretidæ (a part of the Syntomidæ acc't.) of the Belgian Congo. Describes as new: *Apisa* subg. *DUFRANEELLA* (type *grisescens* Dufrane); *Thyretes cooremani* (Bas-Congo); *MESONACRIA* (type *minor* Tmps.); *DIAKONOFFIA* (type *kivensis* Dufrane); *ELSA* (type *invaria* Walker), *E. forsteri* (Kivu); *E. subg. RHIPIDARCTIA*, and type *E. (R.) rubrosuffusa* (Tshuapa); *MECISTORHABDIA* (type *hematoëssa* Holland); *RHABDOMARCTIA* (type *rubrilineata* Bethune-Baker), *R. similis* (Tshuapa); *HIPPURARCTIA*, and type *H. vicina* (Kivu); *H. v. overlaeti* (Lualaba); *H. bergeri* (Lualaba); *Metarctia* subg. *METARHODIA* (type *rubripuncta* Hmps.); *Metarctia deriemeaeckeri* (Mt. Katanga); *M. schoutedeni* (Kivu); *M. subg. NOTHARCTIA* (type *flavivena* Hamps.); *Metarctia debauchei* (Ruanda-Urundo); *M. bulstaertiana* (Tshuapa); *M. subg. CENARCTIA* (type *erlangeri*); *M. subg. PTEROPHÆA* (type *brunneipennis* M. Hering); *Metarctia dracoena* (Sankuru); *M. seydeliana* (Mt. Katanga); *M. olbrechtsi* (Lualaba); *M. fuliginosa* (Sankuru); *M. cinctella* (Sankuru); *Balacra basilewskyi* (Sankuru); *B. distincta* (Sankuru); *B. fontainei* (Sankuru); *B. subg. DAPHÆNISCA* (type *daphæna* Hmps.); *B. subg. CALLOBALACRA* (type *rubrostriata*); *B. subg. COMPSOCHROMIA* (type *compsa*); *B. subg. LAMPROBALACRA* (type *pulchra*); *LEMPKEELLA* (type *dufranei* Kiriak.); *Paramelisa leroyi* (Kivu); *COLLARTISA*, and type *collartorum* (Tshuapa). [P.V.]
- Kiriakoff, S. G., "Amatines (Lepidoptera Arctiidæ) nouveaux du Congo Belge" [in French]. *Ann. Mus. Roy. Congo Belge, ser. in 4°, Sci. Zool.*, n.s. vol.1: pp.431-434, 8 figs. 1954. Descriptions of 8 new species of Arctiidæ Ctenuchinæ from the Belgian Congo: *Myopsyche pallidicincta*, *M. sankuruica*, *M. bokumæ*, *Amata hypomela*, *A. obratzsovi*, *A. albobasis*, *A. marinoides*, and *A. schoutedeni*. [P.V.]
- Kiriakoff, S. G., "Contribution à l'étude des Lépidoptères Héroceres. I. Notodontides nouveaux du Congo Belge" [in French]. *Bull. Inst. Roy. Sci. Nat. Belg.*, vol.30, no.14: 10 pp., 8 figs. April 1954. Descriptions of new spp. and new genus of Notodontidæ

- from Belgian Congo in Brussels Museum: *Clostera ochracearia*; *Desmeocraera tenera* (Katanga); *OVERLAETIA*, *O. griseascens* (Lupweji); *Macronadata aurivilliusi*; *Trottonotus castaneus* (Kafakumba); *Brachychira argyrosticta* (Kafakumba). [P.V.]
- Kiriakoff, S. G., "Chorologie et systématique phylogénétique" [in French]. *Bull. Ann. Soc. Ent. Belg.*, vol.90: pp.185-198, 1 map. Aug. 1954. Thoughts of the author, after W. Hennig (1950), on the relation between chorology and phylogenetic systematics. For the author, two subspecies geographically isolated, e.g. in central Europe and East Asia, are two good species. The case of "genera" having numerous species in one area (e.g. Neotropical) and one species in another area (e.g. Africa) should be reconsidered. [P.V.]
- Kiriakoff, S. G., "Hétérocères nouveaux et peu connus du Katanga (première partie)" [in French]. *Rev. Zool. Afric.*, vol.49: pp.293-327, 2 pls. 14 Aug. 1954. Study of the Notodontidae collected in the Elizabethville area, Katanga, Belgian Congo. Describes as new: *GLUPHISIODES* and type, *G. bivittata*; *Desmeocraera dichonia*, *D. denisae*, *D. analis*, *D. lugubris*, *D. adversa amica*, *D. divergens*, *D. collenettei*, *D. frater*, *D. rileyi*; *esmeocraerula basimacula*; *ULINELLA* and type, *U. cottyto*; *Fentonia umbra*; *ARCHISTILBIA* and type, *cineracea*; *BILULUA*, *B. atricollis* (generotype), *B. strigata*; *Antheua trimacula*; *Brachychira lunuligera*. All the types are in the Belgian Congo Museum. [P.V.]
- Kiriakoff, S. G., "Hétérocères nouveaux ou peu connus du Katanga" [in French]. *Rev. Zool. Bot. Afric.*, vol.50: pp. 169-188, 2 pls. Nov. 1954. New or little known Heterocera from Katanga (Belgian Congo). Describes as new (Notodontidae) *Desmeocraera venusta*; *Rhenea rufescens*; (Arctiidae) *Aglossosia griseoargentea*; *DIPLONYCHODES*, and type *D. ruficeps*; *Caripodia pallidior*; (*Edaleosia conspicua*; *ZADADRINA* and type, *Z. metallica*; *Eilema leioedes*, *E. heringi*, *E. tricolorana*; *Pbryganopis isabellina*, *P. tocha*, *P. sorghicolor*; *Estigmene costalis*; *MENEGITES* and type, *M. nivea*; *Amsacta ochreolutescens*, *A. aliena*; *TAMSITA* (type *ochthoeba* Hmps.); *GASTROCHRYSSIA*, *G. lineolata*. [P.V.]
- Klimesch, J., "Die europäischen Trifurcula- und Ectoedemia-Arten (Lep., Nepticulidae)" [in German]. *Zeits. Wiener Ent. Ges.*, vol.38: pp.160-170, 191-196, 22 figs. 15 June, 15 July 1953. Revises the above genera; describes as new: *T. maxima* (Male: Nürnberg; female: Dürkheim), *T. orientella* (Gravosa, Dalmatia); *E. longicaudella* (Nagy Nyir, Hungary), *E. liguricella* (Noli, Liguria). [N.O.]
- Klimesch, J., "Die an Caryophylaceen lebenden europäischen *Gnorimoschema* Busck (=*Pthorimea* Mey.)-Arten. Ein Beitrag zur Kenntnis der Genitalmorphologie der Gelechiiden (Lep.) sowie Beschreibung von zwei neuen Arten" [in German]. *Zeits. Wiener Ent. Ges.*, vol.38: pp.225-239, 275-282, 311-318, 46 figs. 15 Sept., 15 Oct., 15 Nov. 1953. Systematic notes, redescriptions and genitalia. Describes as new: *G. leucothoracellum* (Dürnstein, Austria) and *G. fiorii* (Gran Sasso, Abruzzo). [N.O.]
- Lange, W. Harry, Jr., "Biology and systematics of plume moths of the genus *Platypilia* in California." *Hilgardia*, vol.19: pp.561-668, 16 pls., 7 figs., 8 tables. 1950. The following are described as new: *Platypilia pica calisequoiae* (Hiuchi State Redwood Park, Del Norte Co., *Castilleia*); *P. p. sierra* (Emigrant Gap, Placer Co., on *Castilleia*), *P. baueri* (Lucas Valley, Marin Co.); *P. albiciiliata rubricans* (Pt. Lobos, Monterrey Co., on *Castilleia*); *P. lutescens* (Ivanpan Mts.. San Bernardino Co.); *P. bifida* (Hauchuca Mts., Arizona). The plates show ova, larvae, pupae, adults, and genitalia. History, phylogeny, economic implications and other phases of the subject are covered. The work seems to be a very complete and excellent revision of the genus. [J.T.]
- Le Charles, L., "Contributions à l'étude des zygènes" [in French]. *Rev. franç. Lépid.*, vol.14: pp.143-145. 29 June 1954. Critical discussion of the paper by E. Haaf (1953) on male genitalia of Zygænidæ, with a list of subgenera and species of *Zygæna* after Burgeff, 1926. [P.V.]
- de Lesse, H., "Discussion de certains caractères morphologiques d'*Arethusana arethusa* Schiff. et des formes *boabdil* Rambur et *dentata* Stgr." [in French]. *Rev. franç. Lépid.*, vol.14: pp.140-142, 11 figs. Discussion, with reference to the paper of G. Varin (1953) (cf. *Lepid. News*, vol.8, p.149) of some morphological characters of *A. arethusa* and its forms. [P.V.]
- Lorkovic, Z., & H. de Lesse, "Expériences de croisements dans le genre *Erebia* (Lépidoptères Satyridæ)" [in French]. *Bull. Soc. Zool. France*, vol.79: pp.31-39. July 1954. *E. tyndarus* and *E. hispania* are very different species in spite of the likeness of their ♂ and ♀ genitalia. The artificially produced hybrids between *tyndarus* and

bispania are sterile and degenerated, which is not generally the case for hybrids of close species; a great difference exists in the chromosome number of *E. bispania rondoui* ($n=24$) and *E. tyndarus calcarius* ($n=8$), the material for the crossing experiments. [P.V.]

Lucas, D., "Nouveaux Lépidoptères Nord-Africains" [in French]. *Bull. Soc. Sci. Nat. Phys. Maroc*, vol.34: pp.35-39. Sept. 1954. Descriptions of new species: Noctuidæ, *Acronycta elegans* (Tunisia), and Pyralidæ and Tortricidæ from Morocco (Ifrane, unless other locality specified): *Homoeosoma buckwelli*, *Chilo powelli* (Casablanca), *Heterographis buckwelli* (Safi), *Etiella ifraneella*, *Brepbia marocana*, *Cledeobia confusalis*, *Myeloides superbella*, *Pyrausta buckwelli*, *Tortrix obscurana*, *Euxanthis pallens*, *Olethreutes marocana*, *Phlyctenodes buckwelli*, *Anisotenia buckwelli*, *Hypotomorpha moghbrenana* (Chavent). Also three "varieties". Short descriptions without figures; no indications on the type material in a private collection; the families are mixed. Such a work should not be accepted for publication. [P.V.]

MacKay, Margaret R., "A new species of *Sparganothis* allied to *S. pectinana* (Rob.), with description of larvae and adults of both species (Lepidoptera: Tortricidae)." *Canad. Ent.*, vol.84: pp.233-242, 33 figs. 29 Aug. 1952. Describes as new *S. acerivorana* (Kingsmere, Que.), a maple-feeding sibling of the mainly bass-feeding *S. pectinana*. Excellent figures, mostly comparative, are given of many structural details of various larval instars, of ♂ and ♀ genitalia, and of adults. Primary types are figured, and quantitative differences in genitalic proportions are shown graphically. A careful and detailed paper. [E.M.]

Marion, H., "Contribution à l'étude des pyrales africaines" [in French]. *Mem. Inst. franç. Afrique Noire*, no.40: pp.335-338, 3 figs. 19 Nov. 1954. Describes as new MUNROEIA and type, *M. lamottei* (Galleriidæ) and *Glyphodes royalis* (Pyraustidæ) from the Nimba Mts. (French Guinea). [P.V.]

Marion, H., "Deux Galleriides nouveaux de Madagascar (Lepid.)" [in French]. *Rev. franç. Ent.*, vol.21: pp.216-218, 4 figs. 1954. Descriptions of two new species of Galleriidæ from South Madagascar: *Megarthria seyrigalis* and *M. bekilalis*. [P.V.]

Mattoni, Rudolph, "(Abstract) Taxonomy and distribution in the genus *Philotes*." *Lepid. News*, vol.8: p.8. 25 June 1954.

Michener, Charles D., "A note on a subgeneric name in the Saturniidæ." *Ent. News*, vol.62: p.124. 1953. Corrects error in previous papers, where a trivial name was misspelled and credited to the wrong author. [J.T.]

Munroe, Eugene, "The geographic variation of *Dasyurus polata* (Duponchel) in North America (Lepidoptera: Geometridæ)." *Canad. Ent.*, vol.83: pp.290-294, 12 figs. 16 Nov. 1951. Describes as new: *D. p. bradorata* (Bradore Bay, Strait of Belle Isle, Que.); *D. p. ursata* (Cameron Bay, Great Bear Lake, N. W. T.); *D. p. kidluitata* (Kidluit Bay, Richards Is., N. W. T.); *D. p. aleutiana* (Cold Bay, Alaska). Also recognized are subspecies from Greenland and from the eastern Canadian Arctic; the status of the Colorado and Ellesmere Island populations remains uncertain. Representative adults are figured. [E.M.]

Munroe, Eugene, "The *illibalis* group of the genus *Palpita* Hübner (Lepidoptera: Pyralidæ)." *Canad. Ent.*, vol.84: pp.43-55, 32 figs. 27 Feb. 1952. Describes as new: *P. cincinnatalis* (Cincinnati, Ohio), *P. freemanalis* (Brownsville, Tex.), and *P. ænescentalis* (Ottawa, Ont.), and removes *P. arsaltealis*, *euphaëalis* (with doubtful synonym *subjectalis*), and *magniferalis* (with synonyms *fascialis* and *guttulosa*) from synonymy of *illibalis*. Keys and figures. [E.M.]

Munroe, Eugene, "The eastern North American subspecies of the barberry geometrid (Lepidoptera)." *Canad. Ent.*, vol.86: pp.282-283, 4 figs. 10 June 1954. Describes as new *Coryphista meadi atlantica* (Irvington, N.J.), and discusses distribution and variation of this and the nominate ssp. [E.M.]

Munroe, Eugene, "A new *Phlyctania*, with notes on two related species. (Lepidoptera: Pyralidæ)." *Canad. Ent.*, vol.86: pp.428-431, 4 figs. 22 Oct. 1954. Describes as new *P. quebecensis* (Lac Mondor, near Ste. Flore, P.Q.); sinks *tertialis* to *coronata* Hufnagel as a ssp.; raises *dionalis*, with syns. *niscœcalis*, *oppilalis*, and *beddeci* to ssp. of *extricalis*. [E.M.]

Munroe, Eugene, "A new pyralid of Palearctic affinities from Colorado (Lepidoptera)." *Canad. Ent.*, vol.86: pp.499-500, 3 figs. 15 Dec. 1954. Describes as new *Metaxmeste nubicola* (Hall Valley, Park Co., Colo.). [E.M.]

Obraztsov, Nicholas, "Notes on the genus *Aterpia* Gn. (=*Esia* Heinr.)." *Ent. News*, vol.62: pp.276-278. 1951. Shows that HEINRICH'S genus *Esia* is a junior synonym

- of *Aterpia* Gn.; that *Aterpia* has one nearctic and three palearctic species; and that *charpentierana* (Hbn.) is predated by *corticana* (Schiff.). [J.T.]
- Obraztsov, Nikolaus, "Systematische Aufstellung und Bemerkungen über die paläarktischen Arten der Gattung *Dichrorampha* Gn. (Lepidoptera, Tortricidae)" [in German]. *Mitt. Münchn. Ent. Ges.*, vol.43: pp.10-101, 50 figs. 1 July 1953. Revision of 68 Palaeartic species: systematic notes, redescription, distribution, synonymy, bibliography, genitalia. Describes as new: subgenera *LIPOPTYCHODES* (type *bugnionana* Dup.) and *DICHRRORHAMPHODES* (type *guenéeana*, new name for *politana* Gn. nec Schiff.); spp. *D. (Dichrorampha) coniana* (Konia, Anatolia), *D. (D.) forstieri* (Luitpoldhaus, Allgäu), *D. (Lipoptychodes) pfisteri* (Steinernes Meer, Salzburg Alps), *S. (L.) klimeschi* (Altipiano Mantasio, Giullean Alps, Italy); sspp. *D. (Dichrorampha) simpliciana heuseriana* (Kaiserlautern, Pfalz), *D. (Lipoptycha) resplendana eidmanni* (Volkmarshausen, N. W. Germany). New synonym: *D. (Lipoptycha) sylvicolana* Hein. (=*æratana* P. & M.). [N.O.]
- Obraztsov, Nicholas, "A new species of *Hyaletha* Butler and a key to the species of the genus (Lepidoptera, Ctenuchidae)." *Amer. Mus. Novit.*, no.1630: 3 pp. 4 Sept. 1953. Describes as new *H. (Paraceryx) malaitensis* (Malaita, Solomon Is.). [P.B.]
- Obraztsov, N. S., "Two new species of the *Amata tenuis* group (Lepidoptera, Ctenuchidae)." *Bull. Ann. Soc. Ent. Belg.*, vol.90: pp.227-232, 3 figs. Aug. 1954. Describes as new *A. (A.) paratenuis* (S. coast of Java) and *A. (A.) subtenuis* (E. Celebes). [P.V.]
- Obraztsov, Nikolaus, "Zur Nomenklatur der gewöhnlich als *Schrankia* HS., *Hypenodes* Gn. (Phalænidæ), *Lythria* Hb. (Geometridæ) und *Cledeobia* Stph. (Pyralididæ) bekannten Gattungen" [in German]. *Nachrbl. Bayer. Ent.*, vol.3: pp.81-86. 15 Sept. 1954. Discusses nomenclature, types and synonymy. [N.O.]
- Obraztsov, Nicholas, "Notes on *Eressa confinis* and allied species with descriptions of a new species and a new subspecies (Ctenuchidae)." *Lepid. News*, vol.8: pp.135-139, 3 figs. 20 Oct 1954. Describes as new *E. c. szechuenensis* (Sun-fu, Szechuan, W. China); *E. javanica* (Mt. Gede, Java, 9000').
- Overlaet, F. G., "Cymothoe sangaris Godart et ses formes voisines" [in French]. *Bull. Ann. Soc. Ent. Belg.*, vol.90: pp.32-33. 28 Feb. 1954. Description of *C. euthaliaoides candidata* geogr. race nov. (Belgian Congo: Uele) and notes on *C. sangaris* (Nymphalidæ) and its populations in Equatorial Africa. [P.V.]
- Overlaet, F. G., "Note sur le genre *Euryphene* Westwood (Limenitidæ) africains" [in French]. *Bull. Ann. Soc. Ent. Belg.*, vol.90: pp.215-218. August 1954. For the author, the genera *Euryphene* and *Euphedra* Hb. are good genera characterized by the scheme of the markings, the profile of the wings, and the very marked sexual dimorphism. [P.V.]
- Overlaet, F. G., "Satyrides africains nouveaux" [in French]. *Lambillionea*, vol.54: pp.41-44, 3 figs. 25 Aug. 1954. Descriptions of three new *Ypthima* from the Belgian Congo: *Y. pulchra* (Katanga), *Y. præstans* (Tshiole), and *Y. diplommata* (Kafakumba). [P.V.]
- Overlaet, F. G., "Trois Rhopalocères africains nouveaux" [in French]. *Ann. Mus. Roy. Congo Belge, ser. in 4°, Sci. Zool.*, n.s. vol.1: pp.490-493, 10 figs. 1954. Descriptions of three new species of butterflies from Katanga (Belgian Congo): *Euryphene schoutedeni* (Nymphalidæ), *Mycalesis schoutedeni* (Satyridæ), *Acræa schoutedeni* (Acræidæ). [P.V.]
- Pearson, E. O., "The relationship between the African and South American red boll-worms of cotton, *Diparopsis* and *Sacadodes*." *Empire Cotton Growing Rev.*, vol.31: pp. 171-177, 1 fig. July 1954. The correct name for *D. perditor* is *D. watersi* (Rothschild). Compares *S. pyralis* with *Diparopsis* spp. and concludes that genera are closely related but distinct on genitalic characters. Discusses biology of the genera, with particular reference to the possibility of using *Sacadodes* parasites against *Diparopsis*. [P.B.]
- Pinker, Rudolf, "Beobachtungen in den Julischen Alpen" [in German]. *Zeits. Wiener Ent. Ges.*, vol.38: pp.117-181, 2 figs. 15 July 1953. Field observations in 1951. Describes as new: *Lita thurneri* (figures moth and ♂ genitalia) and *Cidaria nobiliaria juliensis*, both from Monte Montasio. [N.O.]
- Reiss, Hugo, "Zygænenrassen (Lep.) der alpinen Stufe der Ost-Dolomiten und ihr vermutliches Entstehungsalter" [in German]. *Zeits. Wiener Ent. Ges.*, vol.38: pp.261-270, 1 pl. 15 Oct. 1953. Discusses geological age and variation of some alpine Zygæna species. Describes as new: *Z. achilleæ ladiniæ* (Col. Pralongia, Ladinia, E. Dolomites) and *Z. filipendulae wiegeli* (Col. Pradat, Ladinia); also a variety of *Z. purpuralis nubigena*. [N.O.]

- Remington, Charles L., "A new name for the Colorado race of *Pieris napi*." *Lepid. News*, vol.8: p.75. 17 Sept. 1954. Proposes *P. n. macdunnoughii* n.n. for *P. n. pseudonapi* B. & McD. (nec Verity).
- Rungs, Ch., "La chenille arpenteuse de l'Acacia à tanin" [in French]. *Service de la Défense des Végétaux au Maroc, Travaux Originaux* no.5: 55 pp., 5 pls. Aug. 1954. Systematic and morphological study, life history, and ecology of *Tephritis pulinda deerraria* (Geometridae), a pest of *Acacia mollissima* in Morocco. [P.V.]
- Sieder, Leo, "Vorarbeit zu einer Monographie über die Gattung *Solenobia* Z. (Lepidopt. Psychidae-Talaoperiinae)" [in German]. *Zeits. Wiener Ent. Ges.*, vol.38: pp.113-128. 15 May 1953. Describes as new: *S. tiburneri* (Norish Alps), *S. klimeschi* (Lienz Dolomites), *BREVANTENNIA* n. subg. (type *triglavensis* Rbl.), *S. (B.) reliqua* (Carinthia). Diagnoses of *Solenobia* females. [N.O.]
- Smith, Stanley G., "Reproductive isolation and the integrity of two sympatric species of *Choristoneura* (Lepidoptera: Tortricidae)." *Canad. Ent.*, vol.85: pp.141-151. 15 April 1953. Discusses *in extenso* possible isolating mechanisms between *C. pinus* and *C. fumiferana*. Notes that geographic, temporal, ecological, and sexual isolation all are partially effective, but contends that temporal isolation is the most important under ordinary conditions. [E.M.]
- Smith, Stanley G., "A partial breakdown of temporal and ecological isolation between *Choristoneura* species (Lepidoptera: Tortricidae)." *Evolution*, vol.8: pp.206-224. Sept. 1954. *C. fumiferana* and *C. pinus*, on Balsam Fir and Jack Pine respectively, normally do not overlap in flight periods. The absolute failure of interspecific matings during an unusual overlap shows that sexual isolation is the effective mechanism keeping the species separate, even though interspecific mating has been obtained in the laboratory. [P.B.]
- Stallings, Don B., & J. R. Turner, "Notes on *Megathymus neumoegeni*, with description of a new species." *Lepid. News*, vol.8: pp.77-82, 5 pls. 17 Sept. 1954. Describes as new *M. baueri* (Verde Hot Springs, 4000', Ariz.)
- Stempffer, H., "Considérations sommaires sur le genre *Pseuderlesia* Butler (Lepid. Lycaenidae)" [in French]. *Ann. Mus. Roy. Congo Belge*, ser. in 4°, Sci. Zool., n.s. vol.1: pp.523-525, 6 figs. 1954. Summary study of the ♂ genitalia of *Pseuderlesia*. The genitalia of *eleaza*, *osheba*, *isca*, *bicolor* are all very different; those of nine other species are of the same type, near some *Mimacrea* and very different from those of the first four species cited. [P.V.]
- Stempffer, H., "Contribution à l'étude des Lycaenidae de la faune éthiopienne (Lep.)" [in French]. *Bull. Soc. Ent. France*, vol.59: pp.88-93, 2 figs; pp.104-113, 1 pl., 4 figs. July, Nov. 1954. Considerations on various species of Lycaenidae of the African fauna, with descriptions of new species and subspecies: *P. drucei drucei* (Cameroon), *P. d. ugandae* (Uganda); *Liptena (Tetralobanis) rougeoti* (Gaboon); *Dendorix (Dioptetes) aurivilliusi* (Sierra Leone), *D. (Dioptetes) fumata* (Gold Coast); *Lepidochrysops intermedia cottrelli* (N. Rhodesia); *Euchrysops browni* (Belgian Congo). [P.V.]
- Stempffer, H., "A revision of the genus *Aphnaeus* Hübner (Rhopalocera: Lycaenidae)." *Trans. Roy. Ent. Soc. London*, vol.105: pp.493-516, 2 pls., 18 figs. 31 Dec. 1954. Describes as new *A. nyanzae* (Katera, Sango Bay, Uganda); *A. eriksoni mashunae* Gadzima, Umfuli R., Mashonaland; *A. e. barnesi* (Christmas Pass, S. Rhodesia); *A. jacksoni* (Labow Hill, Karamoja, Uganda); *A. adamsi* (Bitje, Ja River, Cameroons); *A. flavescens* (Limbe, Nyasaland); also several "forms". Redescribes all known spp. Figures adults of some spp. and ♂ genitalia of most. [P.B.]
- Thompson, W. R., "The philosophical foundations of systematics." *Canad. Ent.*, vol.84: pp.1-16. 30 Jan. 1952. Discussion of systematic concepts from standpoint of Thomistic philosophy. [E.M.]
- Toll, S., "Nephodesme pyrenaica spec. nova (Lepidoptera, Tortricidae)" [in French]. *Bull. Soc. Ent. Mulhouse* 1954: pp.45-47, 5 figs. July-Aug. 1954. Description of *N. pyrenaica* n.sp. from the Pyrenees (S. France), allied to *N. canescana* Gn. [P.V.]
- de Toulgoet, H., "Description d'Arctiidae nouveaux de Madagascar (Lep.)" [in French]. *Mém. Inst. Sci. Madagascar*, ser. E, no.4 (1953): pp.345-359, 1 pl., 11 figs. 1954. Descriptions of Arctiidae Nolinæ and Lithosiinæ from Madagascar: *Roeselia venosalis*, *R. leucomelas*, *Eilema lemur*, *E. rubiginea*, *E. contradicta*, *E. bova*, *E. heimi*, *E. xantholeuca*, *E. catalai*, *Asura vadoni*, *Philenora ocularis*, *P. bipunctoides*. [P.V.]
- Urbahn, Ernst, "Was versteht man unter *Melitaea hormuzaki*?" [in German]. *Zeits. Wiener Ent. Ges.*, vol.38: pp.149-152, 1 fig. 15 June 1953. Supposes it to be a synonym of *M. athalia diaminoides* Vrty. [N.O.]
- Viette, P. E. L., "Descriptions de quatre nouvelles espèces malgaches de Noctuidæ quadrifides (Lepid.)" [in French]. *Lambillionea*, vol.54: pp.9-13, 2 figs. Sept. 1954.

- Descriptions of four new species of Noctuidæ from Madagascar: *Epicausis splendens*; *E. catalai* (Diphtherinae; from the eastern rain forest); *Xanthodesma remyi* (eastern rain forest); *Hypsiforma seyrigi* (Ophiderinæ; from the south). [P.V.]
- Viette, P., "Le colloque international sur la nomenclature zoologique (Copenhagen, 1953)" [in French]. *Lambillonea*, vol.54: pp.25-32. Sept. 1954. Notes on the international colloquium on zoological nomenclature at the Copenhagen Congress, 1953.
- Viette, P., "Nouveaux Thyrididæ de Madagascar (Lep.)" [in French]. *Bull. Soc. Ent. France*, vol.59: pp.118-122, 5 figs. Nov. 1954. Descriptions of new species of Thyrididæ from different parts of Madagascar: *Rhodoneura subopalina*, *R. translucida*, *R. chopardi*, *R. memorabilis*, *Striglina antiopa*, *Betousa milloti*, *Dixoa jeannelli*. [P.V.]
- Viette, P. E. L., "Descriptions de quelques nouveaux Drepanidæ, Notodontidæ et Noctuidæ africains et malgaches (Lépid.)" [in French]. *Ann. Mus. Roy. Congo Belge, ser. in 4°, Sci. Zool.*, n.s. vol.1: pp.553-559, 16 figs. 1954. Descriptions of new moths from Africa and Madagascar. Drepanidæ: *Spidia primoti* (Gaboon); *Epicamptopelta olivacea* (Gaboon). Notodontidæ: *Polelassotibys callista abyssinica* (Abyssinia); *Hoplitis dasycbirina quadratus* (Abyssinia); *Fentonina schoutedeni*, *F. bergeri* (Belgian Congo); *Anthena birbirana* (Abyssinia), *A. benguelana* (Angola). Noctuidæ Ophiderinæ: XYMEHOPS and its type, *X. nigra* (Madagascar); CATALANA and its type, *C. vobilava* (Madagascar). [P.V.]

C. MORPHOLOGY AND CYTOLOGY

- Bailey, S. W., "Hardness of arthropod mouthparts." *Nature*, vol. 173: p. 503. 13 March 1954. Reports hardness of 3 for mandibles of *Pteroloscura* caterpillar and some other insects. [P.B.]
- Carpentier, F., "Nervure surnuméraire chez des intersexes mâles de *Lymantria dispar* L. (Lépidopt. Hétéroc.)" [in French]. *Bull. Ann. Soc. Ent. Belg.*, vol.90: pp.233-236. Oct. 1954. Supplementary veins in intersexual males of *L. dispar*. [P.V.]
- Denuce, J. M., & G. Vandermeersche, "Étude au microscope électronique des trachées des larves d'insectes" [in French]. *Exptl. Cell Res.*, vol.6: pp.76-78, 2 figs. Feb. 1954. Structure of tracheæ of *Galleria mellonella* larvæ.
- Diakonoff, A., "Considerations on the terminology of the genitalia in Lepidoptera." *Lepid. News*, vol.8: pp.67-74, 2 figs. 17 Sept. 1954.
- Diakonoff, A., "Reply to the Forbes 'Notes'." *Lepid. News*, vol.8: p.169. 7 Jan. 1955.
- Du Porte, E. Melville, "The protocephalon: a critique of recent interpretations," *Canad. Ent.*, vol.85: pp.41-55, 8 figs. 11 March 1953. No specific discussion of Lepidoptera. [E.M.]
- Foltin, Hans, "Agla tau L. und ihre dunklen Formen in Oberösterreich. Berichtigung" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 33: p. 137. 1 Dec. 1948.
- Forbes, Wm. T. M., "Notes on the terminology of the lepidopterous male genitalia." *Lepid. News*, vol.8: pp.167-168. 7 Jan. 1955.
- Golbach, R., "Notas sobre algunos insectos teratológicos" [in Spanish, German summary]. *Acta Zool. Lilloana*, vol. 10: pp. 189-196, 1 pl., 2 figs. 1952. Describes and figures specimen of *Atrophaneura zacynthus* with defect in one wing. [P.B.]
- Henke, Karl, "Einfache Grundvorgänge in der tierischen Entwicklung I. Über Zellteilung, Wachstum und Formbildung in der Organentwicklung der Insekten" [in German]. *Naturwiss.*, vol. 34: pp. 149-157, 180-186, 14 figs. "1947" [Feb., March 1948]. Study of scale development in *Epeorus kühniella* and wing development in *Drosophila*. [P.B.]
- Henke, Karl, "Einfache Grundvorgänge in der tierischen Entwicklung II. Über die Entstehung von Differenzierungsmustern" [in German]. *Naturwiss.*, vol. 35: pp. 176-181, 203-211, 239-246, 19 figs. "1948" [Dec., 1948; Jan., Feb. 1949]. Study of pattern development in wings of Lepidoptera. [P.B.]
- Ivanova, T. S., "Innervation of the silk gland and the anatomical structure of its unpaired excretory duct in the tussah moth *Antheraea pernyi* Guer." [in Russian]. *Ent. Obozr.*, vol.33: pp.198-200. 1953. [Not seen].
- Malcolmson, Richard O., "Arthropod teratology." *Canad. Ent.* vol.85: pp.313-315, 2 figs. 30 Sept. 1953. Figures and briefly describes a bilateral gynandromorph of "*Samia*" *cecropia*. [E.M.]
- Piepho, H., "Über die Ausrichtung der Schuppenbälge und Schuppen am Schmetterlingsrumpf" [in German]. *Naturwiss.*, vol.41: p.22, 2 figs. Jan. 1955. Orientation

- of scales on body of *Galleria mellonella* reversed by rotation of a piece of larval body wall. [P.B.]
- Pohley, H. J., "Über das Wachstum der Imaginalanhänge des Hinterflügels von *Ephestia kühniella* und die Annahme selbständiger mutationsfähiger Unterheiten in den Chromosomen" [in German]. *Naturwiss.*, vol.41: pp.483-484. Oct. 1954. Increase in cell number in hindwing rudiment of *E. kühniella*. [P.B.]
- Schvanich, B. N., "Patterns of Lepidoptera, chiefly of Heterocera" [in Russian]. *Zool. Zhurn.*, vol. 32: pp. 874-885. Sept./Oct. 1953. [Not seen].
- Sibatani, Atsuhiko, Masami Ogata, Yoshio Okada, & Hiromu Okagaki, "Male genitalia of Lepidoptera: morphology and nomenclature. I. Divisions of the valvæ in Rhopalocera, Phaenidae (=Noctuidæ), and Geometridæ." *Ann. Ent. Soc. Amer.*, vol. 47: pp. 93-106, 2 pls. March 1954. Discusses homology of parts of valves in these three groups; describes the plan of the valves and their modification, and presents a list of redefined terms which should be used for the parts. [P.B.]
- Snodgrass, R. E., "Insect metamorphosis." *Smiths. Misc. Coll.*, vol.122, no.9: iii - 124 pp., 17 figs. 1 April 1954. General account of the morphology and morphological changes of the early stages of insects, with theoretical consideration of the origin and significance of metamorphosis. The structure and function of the endocrine glands concerned with metamorphosis are also summarized. [P.B.]
- Yagi, Nobumasa, "Studies on the compound eyes of Lepidoptera. 1. On the compound eyes of butterflies, especially on the pseudopupil and its meaning to the phylogeny of species. 2. On the morphology and function of the compound eyes of Hesperiidæ." *Journ. Fac. Textiles Sericul. Shinsu Univ.*, vol.1: pp.131-173, 6 pls.; vol.3: pp.29-41, 2pls. 1951, 1953. [See review in *Lepid. News*, vol.8, p.146].

D. VARIATION AND GENETICS

- Bernardi, G., "Note sur la variation géographique de l'armure génitale mâle de *Dixiea d'oxo* God. (Lep. Pieridae)" [in French]. *Rev. franç. Ent.*, vol.21: pp.122-124. 8 figs. 1954. Study of the geographical variation of ♂ genitalia of this species of Africa and Madagascar. [P.V.]
- Bretschneider, Richard, "Erfolgreiche Zuchten von *Biston*-Hybriden (Lep. Geom.)" [in German]. *Mitt. Münchn. Ent. Ges.*, vol.43: pp.305-314, 2 pls. 1 July 1953. Describes and figures new and some of the already known interspecific *Biston* hybrids; lists all known hybrids of the genus; names new ones and a mutation. [N.O.]
- Brower, Lincoln P. & Jane Van Zandt, "The heredity of some spot aberrations in *Lycæna phlaeas* and *L. hypophlaeas*." *Lepid. News*, vol.8: pp.125-129. 20 Oct. 1954.
- Burmann, Karl, "Pammene tomiana Z." [in German]. *Zeits. Wiener Ent. Ges.*, vol.38: pp.333-339, 1 pl. 15 Dec. 1953. Discusses variation and biology. [N.O.]
- Hovnitz, William, "The biology of *Colias* butterflies. II. Parallel geographical variation of dimorphic color phases in North American species." *Wasmann Journ. Biol.*, vol.8: pp.197-219. 1950. This paper continues the work so well done in paper I of the series. Percentages of white females are given for samples of all North American species. These percentages range from nearly 100% white females in a given population, to as low as 1% or less. In general, the percentage of white females in any given population of *Colias* is higher in the populations in the northwestern part of the range, and diminishes southerly. It is highest in central Alaska and least in the prairie regions. [J.T.]
- Huard, G., & J. M. Corbe, "Contribution à l'étude des variations dans la forme de la voilure, chez *Parnassius apollo* L. Notion d'index ptérique (deuxième note)" [in French]. *Bull. Soc. Zool. France*, vol. 78: pp. 325-334, tables A to K. "1953" 1954. Biometric study on the relations between the different lengths of the anterior wings of *P. apollo*, with considerations on the value of some French subspecies. Ptéric index and the angle "V" are defined. The mensurations are made on more than 200 specimens and also on Charles Oberthür's publications. [P.V.]
- Huxley, Julian, "Polymorphism & evolution." *Journ. Sci. Indust. Res.*, vol.13A: pp.211-212. May 1954. Explains polymorphism in animal populations (e.g. white and yellow forms of ♀ *Colias*) as an expression of a genetic mechanism adjusting the species as a whole to two or more opposing conditions, notably cold and hot weather. [P.B.]
- Le Marchand, S., "Note sur un nouveau cas de mélanisme chez *Mesoacidalia charlotta* How." [in French]. *Rev. franç. Lépid.*, vol. 13: p. 216, 1 fig. "March/April" [25 July] 1952. Figures melanic form.

- Löberbauer, Rudolf, "Die Variationsbreite von *Hydriomena ruberata* Fr." [in German]. *Zeits. Wiener Ent. Ges.*, vol. 38: pp. 19-21, 1 pl. 1 March 1953. Describes variation, naming 4 new "forms"; figures 14 specimens. [P.B.]
- Loritz, Jean, "Nouvelles aberrations d'*Erebia euryale adyta* Hb." [in French]. *Rev. franç. Lépid.*, vol. 13: pp. 201-202, 2 figs. "March/April" [25 July] 1952. Names 4 aberrations.
- Makino, Katashi, Hitoshi Takahashi, Kyoo Satoh, & Kaoru Inagami, "Abnormal accumulation of 3-hydroxy kynurenine in the mutant 'aka-aka' of the silkworm." *Nature*, vol. 173: pp. 586-587. 27 March 1954.
- Mather, Bryant, "Size of *Papilio glaucus* in Mississippi." *Lepid. News*, vol. 8: pp. 131-133, 1 fig. 20 Oct. 1954.
- Monroe, Burt L., Jr., "A hybrid *Liménitis*." *Lepid. News*, vol. 7: p. 53. 29 July 1953.
- Neveu, P., "Nouveilles localités françaises de *Conista alicia* Laj. dans la vallée du Rhône et description d'une forme nouvelle de cette espèce" [in French]. *Rev. franç. Lépid.*, vol. 13: pp. 179-180. "Jan./Feb." [31 May] 1952. Describes a new "form", probably a local race. [P.B.]
- Ostheder, Ludwig, "Ein Beitrag zur Variationsbreite von *Crambus margaritellus* Hb." [in German]. *Nachrbl. Bayer. Ent.*, vol. 1: pp. 10-13. 15 Feb. 1952. "Berichtigungen". *Ibid.*, p. 24. 15 March 1952. Discusses the local population from Kochel, S. Bavaria; names 4 aberrations. [N.O.]
- Pfister, Hermann, "*Acalla rufana* Schiffm. - ihr Leben und ihr Formenkreis" [in German]. *Nachrbl. Bayer. Ent.*, vol. 3: pp. 66-67. 15 July 1954. Discusses variation and biology. [N.O.]
- Pfister, Hermann, "*Crambus maculalis* Z. (Microlep.-Pyralidæ)" [in German]. *Nachr. Bayer. Ent.*, vol. 3: pp. 21-22. 15 Feb. 1954. Discusses variation and biology in S. Bavaria. [N.O.]
- Pfister, Hermann, "Schwarze Falter am 'Hohen Licht'" [in German]. *Nachrbl. Bayer. Ent.*, vol. 3: pp. 63-64. 15 June 1954. Discusses melanism of alpine moths. [N.O.]
- Pohley, Hans-Joachim, "Über die Unterteilung der Chromosomen in identische Mutationseinheiten bei *Ephestia*" [in German]. *Naturwiss.*, vol. 40: pp. 145-146, 1 fig. Feb. 1953. Effects of larval age at irradiation on the development of a somatic mutation producing local dark scaling on the hind wing. [P.B.]
- Rambold, Alois, "Extreme Zwergform von *Papilio machaon* L." [in German]. *Nachrbl. Bayer. Ent.*, vol. 2: p. 80. 15 Oct. 1953. Life story of a dwarfish specimen. [P.B.]
- Remington, Charles L., "Two new genes, 'whitish' and 'blonde', producing pale males and females of *Colias philodice*." *Lepid. News*, vol. 7: pp. 139-145, 2 figs. 12 Feb. 1954.
- Remington, Charles L., "The genetics of *Colias* (Lepidoptera)." *Advances in Genetics*, vol. 6: pp. 403-450, 6 figs. 1954. Review of *Colias* variation and genetics, with special reference to female color polymorphism in which white wing color is produced by the sex-limited autosomal dominant gene "Alba" (*A*). Similar genes in other Lepidoptera compared. Larval variation and other wing-color mutants are also discussed. [P.B.]
- Remington, Charles L., "A new pale male of *Colias philodice*." *Lepid. News*, vol. 8: p. 76. 17 Sept. 1954.
- Remington, Charles L., "The inheritance of hindwing discal spot color in *Colias philodice*." *Lepid. News*, vol. 8: pp. 163-166. 7 Jan. 1955.
- Sebastopulo, D. G., "The apparent influence of isolation in some species of Geometridæ." *Lepid. News*, vol. 7: p. 172. 12 Feb. 1954.
- Sheppard, P. M., "Polymorphism and population studies." *Symp. Soc. Exper. Biol.*, no. 7: pp. 274-289 2 figs. 1953. Discussion of the action of selection on a pattern gene of *Panaxia dominula* which can be recognized in both heterozygote and homozygote and whose frequency in a natural population is under study. [P.B.]
- Stoughton-Harris, Geoffrey, "Une aberration absolument mélancante d'*Argynnis dia*" [in French]. *Rev. franç. Lépid.*, vol. 13: p. 142, 2 figs. "Nov./Dec. 1951" [28 March 1952].
- Urbahn, E., "Eine verdunkelte Form von *Pelosia muscerda* Hufn." [in German]. *Nachrbl. Bayer. Ent.*, vol. 2: pp. 23-24. 15 March 1953. Describes and names an aberration. [N.O.]
- Wolfsberger, Josef, "Die südlichsten Fundorte von *Biston betularia* L. f. *carbonaria* Jord. und f. *insularia* Th.-M. in Deutschland (Lep. Geometridæ)" [in German]. *Nachrbl. Bayer. Ent.*, vol. 2: pp. 20-22. 15 March 1953. Summary and observations on the distribution of these melanistic forms in S. Bavaria and the Alps. [N.O.]

E. DISTRIBUTION AND PHENOLOGY

- Aguilar, J., "Hyphantria cunea Drury espèce d'origine américaine sera-t-il bientôt de notre faune? (Lep. Arctiidæ)" [in French]. *Bull. Soc. Ent. France*, vol. 58: pp. 7-8. 1953. On the repartition and the life-history of this imported species in Central Europe. [P.V.]
- Alvas, Juho, "Perittia obscurepunctella Stt. funnen inom Finlands nuvarande gräns" [in Swedish]. *Notul. Ent.*, vol. 30: p. 128. Dec. 1950. Species new to Finland. [W.H.]
- Andriiashev, A. P., "Mass findings of Semasia diniana on the ice in the high latitudes of eastern Siberian Sea" [in Russian]. *Priroda*, vol. 36, no. 9: pp. 77-78. Sept. 1947. [Not seen.]
- Anonymous, "Outbreaks and new records. United States." *Plant Prot. Bull.*, vol. 1: pp. 90-91. March 1953. *Platyedra vilella*, new to United States; on cotton, hollyhock etc. [P.B.]
- Aubert, J. F., "Les Lépidoptères alpins soi-disant captures dans le Jura" [in French]. *Rev. franç. Lépid.*, vol. 14: pp. 31-34. 1953. List of spp. wrongly cited from the Jura mountains. [P.V.]
- Aubert, J. F., "Macrolépidoptères peu connus de la faune suisse. Nouvelles observations concernant *Procas versicolor* Bkh." [in French]. *Rev. franç. Lépid.*, vol. 14: pp. 70-76, 4 figs. "1953" [1954]. Little known Macrolepidoptera of Switzerland and new observations about *Procas versicolor* (=*miana* auct.). [P.V.]
- Bailey, F. M., "Notes on butterflies from Nepal." *Journ. Bombay Nat. Hist. Soc.*, vol. 50: pp. 64-87, 281-298, 2 pls., 1 map. Aug., Dec. 1951. Annotated list of 365 spp.
- Banergee, S. N., & R. A. French, "A note on the variability in the appearance of the brood in some British Lepidoptera." *Proc. Roy. Ent. Soc. London (A)*, vol. 27: pp. 111-116, 3 figs. 19 Dec. 1952. Phenological data, covering 8 years, on 17 spp. of Macroheterocera; based on light trap captures. [P.B.]
- Bentink, G. A., "Nieuwe en zeldzame Lepidoptera in 1951 en eerder" [in Dutch (New and rare Lepidoptera in 1951 and earlier)]. *Verslag 84ste Wintervergad. Nederl. Ent. Vereen.*, pp. cxiii-cxiv. 15 Dec. 1952. Records 10 spp. of Microlepidoptera as new for the Dutch fauna. [A.D.]
- Bentink, G. A., "Nieuwe en zeldzame Lepidoptera in 1952 en eerder" [in Dutch, English summary]. *Ent. Berichten*, vol. 15: pp. 21-23. 1 Feb. 1954. Records as new for the Dutch fauna: *Acalla shepherdana*, *Epiblema scopoliana*, *Xystophora hornigi*, *Nepticula spinosissimae*, *N. luteela*, *Antispila petrevi*. [A.D.]
- Berger, L. A., "Espèces nouvelles pour la faune belge" [in French]. *Lambillionea*, vol. 51: p. 17. 25 April 1951. *Meliana flammea*.
- Bernardi, G., "Contribution à l'étude de l'Aîr. (Mission L. Chopard et A. Villiers). Lépidoptères Pieridiidæ" [in French]. *Mém. Inst. franç. Afr. Noire*, no. 10: pp. 265-267. 12 Dec. 1950. Annotated list of 10 spp.
- Bernardi, G., "Mission A. Villiers au Togo et au Dahomey (1950). XI. Lépidoptères Pieridae" [in French]. *Bull. Inst. franç. Afr. Noire*, vol. 14: pp. 837-841. "July" [Sept.] 1952. Records 17 spp.; gives known distribution of each. [P.B.]
- Bernardi, G., "Lépidoptères Pieridae recueillis à Fernando-Poo par MM. B. L. Dekeyser, F. Lepesme" [in French]. *Bull. Inst. franç. Afr. Noire*, vol. 15: pp. 1437-1440, 2 figs. 1953. List of 5 spp. of Pieridae with the study of ♂ and ♀ of *Mylothris poppea furvus*, of which only the holotype ♀ was known. [P.V.]
- Best, A. E. G., "The butterflies of Bombay and Salsette." *Journ. Bombay Nat. Hist. Soc.*, vol. 50: pp. 331-339. Dec. 1951. Annotated list of 105 spp.
- Beszilla, L., "Occurrence of *Chloridea obsoleta* Fb. in Hungary [in Magyar]. *Agrartudomány*, vol. 3: pp. 657-658. 1951. [Not seen.]
- Betz, J. T., "Nouvelles stations belges de *Boloria aquilonaris* Stich. et d'*Argynnis aphrara* Hb." [in French]. *Lambillionea*, vol. 53: p. 48. 1953. New localities, in Belgium, for these two spp. [P.V.]
- Betz, J. T., "Hypothèses ou explications?" [in French]. *Rev. franç. Lépid.*, vol. 13: pp. 312-313. "Oct./Nov./Dec. 1952" [25 March 1953]. A word of caution against regarding new local records as range extensions, in cases where the species may have been overlooked or artificially imported. [P.B.]
- Beyrer, Alois, "*Biston betularia* L. f. *carbonaria* Jordan" [in German]. *Nachrbl. Bayer. Ent.*, vol. 2: p. 56. 15 July 1953. New record in Swabia. [N.O.]
- Beyrer, Alois, "*Lymantria monacha* L. f. *nigra* Fr. und f. *eremita* O." [in German]. *Nachrbl. Bayer. Ent.*, vol. 2, p. 56. 15 July 1953. New records in Swabia. [N.O.]

- Blackie, J. E. H., "Further notes on *Strymonidia pruni* L." *Entomologist*, vol. 85: pp. 93-94. Apr. 1953. Factors limiting distribution. [P.B.]
- Bourgogne, J., "Confirmation de la présence en France d'*Acronycta menyanthidis* Vierw. (Phalænidæ)" [in French]. *Rev. franç. Lépid.*, vol. 14: p. 52, 2 figs. 1953.
- Bourgogne, J., "Note sur une espèce rare observée en Laponie: *Gazoryctra fuscoargenteus* B.-Haas (Hepialidæ)" [in French]. *Rev. franç. Lépid.*, vol. 14: pp. 106-107, 1 fig. 1954. Capture, in Lappland, of *G. fuscoargenteus*, with the bibliography of this species. [P.V.]
- Bourgogne, J., "La sous-espèce *helvetica* Ruhl (*pseudathalia* Rev.) de *Melitaea athalia* existe-t-elle en Gironde?" [in French]. *Rev. franç. Lépid.*, vol. 14: pp. 116-118. 1954. Considerations about the bibliographical indications on the presence of *M. a. helvetica* in Gironde (S. W. France). [P.V.]
- Bradley, J. D., L. Chopard, & D. S. Fletcher, "Contribution à l'étude de l'Air. (Mission L. Chopard et A. Villiers). Lépidoptères nocturnes" [in French]. *Mém. Inst. franç. Afr. Noire*, no. 10: pp. 270-272, 1 pl. 12 Dec. 1950. Annotated list: Arctiidæ 1, Agaristidæ 1, Noctuidæ 20, Lymantriidæ 1, Sphingidæ 3, Geometridæ 7, Cossidæ 1, Lasiocampidæ 5, Limacodidæ 3, Pyralidæ 7, P.utellidæ 1, Tineidæ 3. Figures larval cases of a psychid. [P.B.]
- Bretschneider, R., "Neubesiedlung der Dresdner Fauna durch Einwanderung und Verbreitung mehrerer Makrolepidopteren" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 34: pp. 166-168. 31 Dec. 1949. Range extensions of *Heteropterus morpheus*, *Cidaria procellata*, *Horisme corticata bretschneideri*, *Hemistola chrysoprasaria*, *Cosymbia orbicularia*. [P.B.]
- de Bros, Emm., & H. Thomann, "Beitrag zur Schmetterlingsfauna des Bergells (Val Bregaglia), Graubünden, Schweiz" [in German]. *Ent. Nachrbl.*, vol. 4: pp. 62-66; vol. 5: pp. 1-5, 21-23; 2 pls. Apr./Dec. 1952. Jan./Feb., Mar./Apr. 1953. Annotated list of 309 spp. in 23 familes (mainly Macrolepidoptera). Names 2 "forms" of *Syntomis phegea*. Compares *Gnophos dognini* with related spp. in adult and larval stages. *Lita discontinuella* new to Switzerland. [P.B.]
- de Bros, E., "Un Lépidoptère nouveau pour la Suisse: *Chytolita cibrumalis* Hb. (Phalænidæ — Hypeninæ)" [in French]. *Mitt. Schweiz. Ent. Ges.*, vol. 27: pp. 53-54. 1954. A new moth for the fauna of Switzerland: *C. cibrumalis*. [P.V.]
- Bros de Puechredon, E., "Une géométride alpine méconnue du Jura *Catascia dognini* Thierry Mieg" [in French]. *Rev. franç. Lépid.*, vol. 14: pp. 5-7, 2 figs. 1953.
- Bruun, Henrik, "Några iakttagelser över storfjärfalunen (Macrolepidoptera) i den västnyländska skärgården. Ingå: Barösund (N)" [in Swedish]. *Notul. Ent.*, vol. 28: pp. 105-114. Apr. 1949. List of the macros of some islands in the archipelago of South Finland. Describes an aberration of *Herminia derivalis* Hbn. [W.H.]
- Burmann, Karl, "Ein spätsommerlicher Sammeltag in den Stubaieralpen" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 33: pp. 21-23. 1 Oct. 1948. Collecting above 3000 m. in Austrian Alps. [P.B.]
- Burmann, Karl, "Drei für Oesterreich neue *Lita*-Arten aus Nordtirol. *Lita gypsophilæ* Stt., *ocymoidella* Wglsh. und *poschiavensis* Rbt. (Lepidoptera, Gelechiidæ)" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 34: pp. 68-71. 15 May 1949. New records for Austria; describes rearing. [P.B.]
- Burmann, Karl, "Aussergewöhnlich häufiges Vorkommen von Kleinfalterraupen" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 34: pp. 125-127. 15 Sept. 1949. Reports mass appearances of *Anchinia laureolella*, *A. daphnella*, *Choreutis bierkandrella*, *Nepiticula sorbi*, *Steganoptyla mercuriana* (not all in the same year). [P.B.]
- Cary, Margaret M., "A study of the Sphingidæ (Hawkmoths) in the Antillean-Caribbean Region." *Nat. Hist. Notes Nat. Hist. Soc. Jamaica*, no. 49: pp. 7-8. July 1951. Outline of project.
- Clayhills, Thomas H., "Antitype *flavicincta* F. nv för Finlands fauna" [in Swedish]. *Notul. Ent.*, vol. 31: p. 128. Dec. 1951. *A. flavicincta* new to Finland. [W.H.]
- Cleu, H., "Supplément au peuplement en Lépidoptères du bassin supérieur de la Durance" [in French]. *Rev. franç. Lépid.*, vol. 13: pp. 153-160. "Nov./Dec. 1951" [28 March 1952]. Annotated list of about 120 spp.
- Condamin, M., "Mission A. Villiers au Togo et au Dahomey (1950). X. Lépidoptères Rhopalocères" [in French]. *Bull. Inst. franç. Afr. Noire*, vol. 14: pp. 170-183. "Jan." [Mar.] 1952. Records 97 spp. and forms; gives known distribution of each. Covers butterflies except Pieridæ, Lycenidæ, Hesperiidæ. [P.B.]

- Cotterell, G. S., "Notes on insects injurious to crops in Afghanistan." *FAO Plant Protect. Bull.*, vol. 2: pp. 53-55. Jan. 1954. Records of 11 economically important Lepidoptera.
- Daniel, Franz, & Josef Wolfsberger, "Beiträge zur Kenntnis der Lepidopteren-Fauna des Oberinntales (Vorbericht)" [in German]. *Nachrbl. Bayer. Ent.*, vol. 2: pp. 49-51. 15 July 1953. Annotated list.
- Droit, P. A., "Notes de chasse dans la zone du bassin moyen de la Durance" [in French]. *Rev. franç. Lépid.*, vol. 13: pp. 103-111. "Sept./Oct." [28 Dec.] 1951. Annotated list of about 60 butterflies; names an aberration of *Erebia*. [P.B.]
- Dufay, C., "Notes lépidoptérologiques" [in French]. *Bull. Mens. Soc. Linn. Lyon*, vol. 22: pp. 109-112, 6 figs. 1953. *Cryphia lusitanica* new for the French fauna with indications of some interesting species of Agrotidae. [P.V.]
- Ernst, R., "Anomogyna rhætica Stgr. ssp. *norica* Löberb. (Nachweis für Niederösterreich)" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 37: p. 185. 31 Dec. 1952. New record.
- Esaki, Teiso, & Takashi Shirózu, [A tentative list of the butterflies of Japan, with notes and a synoptic table of life histories of each species] [in Japanese]. *Shin Konchu, Special No.* (vol. 4, no. 9): 117 pp., num. figs. Aug. 1951.
- Feichtenberger, Erich, "Ergänzungen zum Aufsatz Hans Foltin: *Biston (Pœcilosoma) isabellæ* Harr." [in German]. *Zeits. Wiener Ent. Ges.*, vol. 34: pp. 133-134. 15 Sept. 1949. Distribution.
- Foltin, Hans, "Parnassius mnemosyne L. Verbreitung der Subspec. *batavus* Fruhst. in Oberösterreich. Grundsätzliches zur Systematik und Nomenklatur" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 33: pp. 88-91. 1 Nov. 1948. Distribution in Austria; discussion of forms and related subspecies. [P.B.]
- Galvagni, Egon, "Nachlese zu den 'Baustenen zur Kenntnis der Schmetterlingsfauna der niederösterreichischen Zentralalpen'" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 34: pp. 19-24. 1 Feb. 1949. Records of Microlepidoptera from Payerbach region in Austria. [P.B.]
- Galvagni, Egon, "Nachlese zu den 'Baustenen zur Kenntnis der Schmetterlingsfauna der niederösterreichischen Zentralalpen'" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 34: pp. 78-84. 15 May 1949. Extensive annotated list, mostly Microlepidoptera. [P.B.]
- Gauckler, Konrad, "An den Grenzen der Verbreitung der *Zygæna fausta* und ihrer Nährpflanzen in Franken und in der Oberpfalz" [in German]. *Nachrbl. Bayer. Ent.*, vol. 1: pp. 41-44, 1 fig. 15 June 1952. Discusses the distribution of the species and the foodplants of the larva. [N. O.]
- Glaser, Wolfgang, "Arctia flavia Fuessl. in Salzburg" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 33: p. 136. 1 Dec. 1948.
- Gottschlich, Fr. A., "Kärntner Beobachtungen und Ergebnisse in den Jahren 1947-48" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 34: pp. 33-35, 1 pl. 15 May 1949. Records of butterflies and moths from Carinthia. [P.B.]
- Gradl, Franz, "Arctia flavia Fuessly, 'der Engadiner-Bär' in den Urgesteinsalpen Vorarlbergs" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 35: pp. 22-25. 20 March 1950. Range extension of this alpine sp. and some other records from Vorarlberg. [P.B.]
- Gremminger, A., "Parastictis (Hadena) secalis f. *struwei* Rag." [in German]. *Nachrbl. Bayer. Ent.*, vol. 1: p. 72. 15 Sept. 1952. Recorded in Baden. [N.O.]
- Gremminger, A., "A propos de la répartition d'*Erebia nerine* Frr." [in French]. *Bull. Soc. Ent. Mulhouse*, June 1953: pp. 44-46. 1953.
- Griewisch, Louis, "Lycaëides argyrogynomon in Wisconsin." *Lepid. News*, vol. 7: p. 54. 29 July 1953.
- Grönblom, Thorwald, & Esko Suomalainen, "Über das Vorkommen der Nonne, *Lymantria monacha* L. (Lep., Lymantriidae), in Finland" [in German]. *Ann. Ent. Fennici*, vol. 16: pp. 178-181, 1 map. Dec. 1950.
- Hackray, Jos., "Étrange disparition du *Colias palæno* dans les Hautes Fagnes" [in French]. *Lambillionea*, vol. 51: pp. 65-68. 25 Dec. 1951. Blames disappearance of species on succession of dry years with no protective snow cover in winter. [P.B.]
- Hackray, J., "Découverte de la chenille de *Boloria aquilonaris* Stichel en Belgique" [in French]. *Lambillionea*, vol. 53: pp. 69-71. 1954. Discovery of the larvae of *B. aquilonaris* Stichel (Nymphalidae) in Belgium. Bibliographical references incomplete. [P.V.]
- Haggett, G., "Autumnal moth larvae at Arundel, 1951." *Entomologist*, vol. 84: pp. 276-277. Dec. 1951.

- Hansslmar, Oskar, "Neptis aceris Lepech" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 32: p. 149. 30 July 1948. Capture near Vienna suggests a westward movement of this eastern species. [P.B.]
- Harrison, J. W. Heslop, & J. K. Morton, "Lepidoptera in the isles of Raasay, Rhum (v.-C. 104), Lewis, and Harris (v.-c. 110) in 1951." *Entomologist*, vol. 85: pp. 6-13. Jan. 1952.
- Hart, Robert, "Butterfly collecting in the Blue Mountains." *Nat. Hist. Notes Nat. Hist. Soc. Jamaica*, nos. 35/36: pp. 194-195. Dec. 1948.
- Heinänen, V. L., "Altes und neues über *Malacodes regelaria* Tgstr. (Lep., Geometridæ)" [in German]. *Ann. Ent. Fennici*, vol. 16: pp. 188-200, 9 figs., 1 map. Dec. 1950. Reports the first find of the female of this species in Finland. Summarizes all known records from northern Europe. [W.H.]
- Hellman, E. A., "The occurrence of different forms of the moth *Tæniocampa gothica* L. (Lep., Noctuidæ) in different parts of Finland" [in Finnish, English summary]. *Ann. Ent. Fennici*, vol. 16: p. 93. Aug. 1950.
- Helsingin Hyönteisväistöyhdistys (Helsingfors Entomologiska Bytesförening), ed., *Enumeratio insectorum Fenniae et Sueciae. I. Lepidoptera. 2. Microlepidoptera*. Helsingfors, 1950. A catalogue of the Microlepidoptera of Finland and Sweden (with short explanation in Finnish, Swedish and English). The relative frequency and abundance of the species is indicated by numbers. Published by a society for exchange of insects in Finland. [W.H.]
- Herbulot, C., & P. Viette, "Lépidoptères récoltés par MM. A. Reymond et F. Pierre dans la région de Beni-Abbès (Sahara Algérien)" [in French]. *Rev. franç. Lépid.*, vol. 13: pp. 89-96. "May/June" [10 Aug.] 1951. Annotated list of 46 spp. in 13 families.
- Herbulot, Cl., "Captures d'*Eupithecia* faites à Buré (Meurthe et Moselle)" [in French]. *Lambillionea*, vol. 52: pp. 51-55. 25 Oct. 1952. Local list of 31 spp., with notes on general distribution of some. [P.B.]
- Heuser, Rudolf, "Eine zweite Form von *Zygæna transalpina* Esp. *astragali* Bkh. in der Rheinpfalz" [in German]. *Nachrbl. Bayer. Ent.*, vol. 2: pp. 63-64. 15 Aug. 1953. New record for the area; observations. [N.O.]
- Hoffmann, Emil, "*Arctia flavia* Fuessl. in Salzburg" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 34: p. 14. 1 Feb. 1949.
- Hoffmann, Emil, "Verzeichnis der von Herrn Johann Praniess aus der Gegend von Abtenau in Salzburg gesammelten Macrolepidopteren" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 33: pp. 25-33, 1 fig. 20 March 1950. Annotated list of some 290 spp. in 23 families; names an aberration of *Parnassius mnemosyne*. [P.B.]
- Homberg, R., "Contribution à la faune des Hétérocères de la Sologne" [in French]. *Rev. franç. Lépid.*, vol. 13: pp. 28-32, 34-38. "Jan.-Feb." [31 Mar.], "Mar.-Apr." [31 July] 1951. Annotated list of the more unusual records. Omission of family names and indication of genera by initial only reduces the usefulness of this list for workers not familiar with the European fauna. [P.B.]
- Hopf, Hans, "Lichtfang in Mürren (Berner Oberland) im Jahre 1950 (Lepidoptera)" [in German]. *Ent. Nachrbl.*, vol. 3: pp. 189-190. Oct./Nov. 1951 List of Noctuidæ and Geometridæ taken, mostly at light. [P.B.]
- Jackson, R. A., "Some Lepidoptera of a Hampshire marsh." *Entomologist*, vol. 85: pp. 105-107. May 1952. Macroheterocera.
- Janmouille, E., "Espèces nouvelles pour la faune belge" [in French]. *Lambillionea*, vol. 52: pp. 13, 25-26, 49-50. 25 April, 25 June, 25 Oct. 1952. *Philedone prodromana*, *Coleophora glaucicolella*, *C. pallorella*, *C. suædivora*, *C. artemisiella*, *C. clypearifera*, *Semasia tripoliana*, *Phthorimæa salicorniae*.
- Janmouille, E., "Espèces nouvelles pour la faune belge" [in French]. *Lambillionea*, vol. 53: pp. 21-22. 1953. *Pamene obscurana*, *Hemimene politana*, *H. cinerosana*.
- Kaisila, Jouko, "Siivekkäät apollommie" [in Finnish]. *Suomen Luonto*, vol. 7: pp. 34-44, 3 figs., 2 maps. 1948. Half popular article on *Parnassius apollo* in Finland. [W.H.]
- Kaisila, Jouko, "Insects from arctic mountain snows." *Ann. Ent. Fennici*, vol. 18: pp. 8-25, 3 figs. 1 table. June 1952. Reports among other insects 29 species of Lepidoptera found on mountain snow in Finnish Lapland. [W.H.]
- Kasy, Fritz, "Hyphantria textor Harr. im Wiener Gebiet" [in German]. *Ent. Nachrbl.*, vol. 3: p. 170. Oct./Nov. 1951. Records of this introduced species near Vienna. [P.B.]
- Koch, Manfred, "Lichtfang mit der Höhenonne II" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 32: pp. 60-69, 116-121. 10 May, 30 June 1948. Macroheterocera taken at light in 1946. [P.B.]

- Kozhanchikov, I. V., "The cycle of development and the geographical distribution of the winter moth *Operophtera brumata* L." [in Russian]. *Ent. Obozr.*, vol. 31: pp. 178-197, 1 map. 1950. [Not seen.]
- Krogerus, Harry, "Chloroclystis coronata Hb., ett tillskott till Finlands fjärilfauna" [in Swedish]. *Notul. Ent.*, vol. 28: pp. 127-128. Apr. 1949. Species new to Finland. [W.H.]
- Kurentsov, A. I., "Concerning the zoogeographical division of the Amur River region" [in Russian]. *Dokl. Akad. Nauk SSSR*, vol. 66: pp. 503-505. 1949.
- Kusnezov, N., "Atticonviva Busck en la Argentina" [in Spanish, German summary]. *Acta Zool. Lilloana*, vol. 10: pp. 281-282. 1952. Reports larvæ of this ant guest species from Argentina, in nests of *Acromyrmex lobicornis*. [P.B.]
- de Laever, E., "Espèces nouvelles pour la faune belge" [in French]. *Lambillionea*, vol. 52: pp. 3-5, 3 figs. 25 Feb. 1952. *Lycaenidae argyrognomon*; figures uncus of this species and of *L. idas*. [P.B.]
- de Laever, E., "Espèces nouvelles pour la faune belge" [in French]. *Lambillionea*, vol. 52: pp. 62-65. 14 Feb. 1953. *Perizoma bifasciata*, *Diastictis artesaria*, *Eupithecia laquearia*, *E. extraversaria*.
- de Laever, E., "Plebeius idas L. en Belgique" [in French]. *Lambillionea*, vol. 53: p. 64. 1953.
- de Laever, Ed., "Un Leucania nouveau pour la faune française" [in French]. *Rev. franç. Lépid.*, vol. 13: pp. 282-283, 1 pl. "Oct./Nov./Dec. 1952" 25 March 1953. Records *L. alopecuri*; figures adults and ♂ genitalia of this and related spp. [P.B.]
- de Laever, E., "Selidosema plumaria (Schiffermüller) en France" [in French]. *Rev. franç. Lépid.*, vol. 14: pp. 10-11. 1953.
- de Laever, E., "Caradrina (Paradrina) noctivaga bonne espèce en France" (Noctuidæ) [in French]. *Rev. franç. Lépid.*, vol. 14: pp. 29-30, 1 fig. 1953.
- Lambremont, Edward Nelson, "The butterflies and skippers of Louisiana." *Tulane Stud. Zool.*, vol. 1: pp. 127-164, 3 figs. 30 April 1954. Annotated list of 98 spp., and list of 39 more to be expected. [P.B.]
- Le Marchand, S., "Borkhausenia cinnamomea Zeller (Microlépidoptères Cœphoridæ) est bien une espèce française" [in French]. *Rev. franç. Lépid.*, vol. 13: p. 252. "May/June/Sept." [15 Nov.] 1952. Authentic French record.
- de Lesse, H., "Contribution à l'étude du genre *Erebia* (6^e note). Notes de répartition et nouvelles indications sur *E. ephippium* (Frr.) et *E. stirius* (Gödt.) récemment signalés en France" [in French]. *Rev. franç. Lépid.*, vol. 13: pp. 130-137, 1 fig. "Nov./Dec. 1951" [28 March 1952]. Distribution of these and other spp. of *Erebia* in France. Figures *E. stirius styx*. [P.B.]
- de Lesse, H., "Contribution à l'étude du genre *Erebia* (8^e note). Répartition de *E. euryale isarica* Heyne et *E. euryale adyte* (Hb.) dans les Alpes françaises" [in French]. *Rev. franç. Lépid.*, vol. 13: pp. 226-228, 1 map. "May/June/Sept." [15 Nov.] 1952.
- de Lesse, H., "Contribution à l'étude du genre *Erebia*. Répartition de *E. tyndarus* Esp. et *E. cassiooides* R. et Hohnw. dans la partie occidentale du Valais (Lep. Satyridæ)" [in French]. *Entomologiste*, vol. 8: pp. 65-70, 1 map. "1952" [1953]. Repartition and distinction of *E. tyndarus* and *E. cassiooides* in the occidental part of the Valais (Switzerland). [P.V.]
- de Lesse, H., "Contribution à l'étude du genre *Erebia* (10^e note)" [in French]. *Lambillionea*, vol. 53: pp. 5-11, 1 map. 1953. Geographical repartition of *E. cassiooides* and *E. hispania* in Spain and in the Pyrenees. [P.V.]
- Levet, R. J. A. W., "New insect pest records in the British Solomon Islands." *Agric. Journ. Fiji*, vol. 19: pp. 50-52, 3 figs. June 1948. Records *Sylepta derogata*, *Sesamia* sp., *Pyrausta salentialis*, *Heliothis armigera*, *Prodenia litura*, *Hymenia fascialis*, all new to the Islands, with their foodplants. [P.B.]
- Lindenbauer, Mauritz, "Neptis aceris Lepech." [in German]. *Zeits. Wiener Ent. Ges.*, vol. 34: pp. 72-73. 15 May 1949. Distribution and phenology in Austria.
- Lindenbauer, Mauritz, "Kurze Mitteilung" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 34: p. 165. 31 Dec. 1949. *Ochrostigma melagona*, new to Steiermark. [P.B.]
- Lindenbauer, Mauritz, "Nachtrag und Ergänzung zu meinem Aufsatz 'Neptis aceris Lepech.'" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 34: pp. 165-166. 31 Dec. 1949.
- Lomakina, M. I., & V. I. Medvedeva, "American white butterfly" [in Russian]. *Sad i Ogorod*, vol. 10: p. 76 Oct. 1952. *Hyphantria cunea*: not in Russia. [not seen.]
- de Lucca, C., "Further notes on Lepidoptera Heterocera from Malta." *Ent. Mon. Mag.*, vol. 85: p. 191. July 1949.

- Lukasch, H., "Interessante Pyraliden (Microlepidopt.) aus Franken" [in German]. *Nachrbl. Bayer. Ent.*, vol. 1: p. 47. 15 June 1952. *Chloridea maritima* and *Parastictibis secalis* f. *struvei* new for S. Germany. [N.O.]
- Martynova, E. F., "Special features of the lepidopterous fauna of the southern Ural area and its importance for steppe silviculture" [in Russian]. *Trudy Zool. Inst. Akad. Nauk SSSR*, vol. 11: pp. 66-91. 1952. [Not seen.]
- van der Meulen, G. S. A., "Zeldzame en nieuwe Lepidoptera" [in Dutch, English summary]. *Ent. Berichten*, vol. 15: p. 27. 1 Feb. 1954.
- Mather, Bryant, "Additional notes on the Harvester Butterfly — *Feniseca tarquinius* (Fabricius)." *Maryland Nat.*, vol. 22: p. 52. 1952. Includes record for Mississippi. [C.R.]
- Metzky, Witburg, "Richtlinien für eine Bearbeitung der Lepidopteren-Fauna von Niederösterreich" [in German]. *Zeitschr. Wiener Ent. Ges.*, vol. 33: pp. 3-13. 1 Oct. 1948. Outline of a projected cooperative work on the Austrian fauna. [P.B.]
- Moucha, J., "*Pieris (Artogeia) manni* Mayer in Mitteleuropa" [in German]. *Ent. Nachrbl.*, vol. 5: pp. 10-12. Jan./Feb. 1953. Gives 3 records from Slovakia and mentions earlier information on distribution, with associated fauna. [P.B.]
- Moucha, Josef, "The Fall Webworm (*Hyphantria cunea*) in Europe." *Lepid. News*, vol. 7: p. 55, 1 fig. 29 July 1953.
- Moul, Edwin T., "Preliminary report on land animals at Onotua Atoll, Gilbert Islands." *Atoll Research Bull.*, no. 28: 28 pp. 31 May 1954. Records a few Lepidoptera, including *Hypolimnas bolina*, *Precis villida*, a hesperiid, and some moths. The impoverished land fauna is estimated at only 80 spp. of invertebrates. [P.B.]
- Nabokov, Vladimir, "Butterfly collecting in Wyoming, 1952." *Lepid. News*, vol. 7: pp. 49-51. 29 July 1953.
- Nonveiller, G., "*Hyphantria cunea* Drury, un nouveau problème d'importance internationale en Europe" [in French]. *Trans. 9th Int. Congr. Ent.*, vol. 1: pp. 669-671, March 1953. The Fall Webworm from North America is observed in mass occurrence in Hungary and is rapidly extending ever since over the whole of that country to Yugoslavia and Czechoslovakia. Joint control measures by European countries are proposed. [A.D.]
- Nordman, Adolf Fr., "The significance for insects of climatic changes." *Fennia*, vol. 75: pp. 60-68, 1 map. 1952. Deals mainly with the Macrolepidoptera in Finland, and analyzes the effect of the various climatic factors on their frequency fluctuations. [W.H.]
- Overlaet, F. G., "Espèces nouvelles pour la faune belge" [in French]. *Lambillionea*, vol. 51: p. 33. 25 Aug. 1951. *Boarmia maculata bastelbergeri*.
- Pfister, Hermann, "Interessante Pyraliden (Microlepidopt.) aus Franken" [in German]. *Nachrbl. Bayer. Ent.*, vol. 1: pp. 87-88. 15 Nov. 1952. Annotated list.
- Pfister, H., "Beobachtungen an einigen in Bayern vorkommenden Pterophiden (Lep.)" [in German]. *Nachrbl. Bayer. Ent.*, vol. 2: pp. 44-47. 15 June 1953. Annotated list of 19 spp. [N.O.]
- Pfister, Hermann, "Begegnungen mit *Pamene herrichiana* Hein." [in German]. *Nachrbl. Bayer. Ent.*, vol. 2: pp. 81-82. 15 Nov. 1953. New localities for S. Bavaria and Oberfranken. [N.O.]
- Plantrou, J., "A propos de la répartition de *Liménitis rivularis* Scopoli (Nymphalidæ) en Haute-Normandie" [in French]. *Rev. franç. Lépid.*, vol. 13: pp. 223-224. "March/ April" [25 July] 1952. Possible extension of range. [P.B.]
- de Puységur, K., "Plus de neuf cents sujets de *Libythea celtis* Fuessly récoltés (chenilles et chrysalides) ou capturés (imagos) dans l'Hérault en huit ans" [in French]. *Rev. franç. Lépid.*, vol. 14: pp. 8-10. 1953. Note on the capture of more than 900 specimens of *Libythea celtis* in 8 years. [P.V.]
- de Puységur, K., "Quelques observations sur *Hamæaris lucina* Linné (Riodinidæ Hamæarinae)" [in French]. *Rev. franç. Lépid.*, vol. 14: pp. 47-49. 1953.
- Rambold, Alois, "*Lymantria monacha* L. f. *eremita* O. und f. *nigra* Fr." [in German]. *Nachrbl. Bayer. Ent.*, vol. 3: p. 8. 15 Jan. 1954.
- Reid, W. J., Jr., & C. O. Bare, "Seasonal populations of cabbage caterpillars in the Charleston, S. C., area." *Journ. Econ. Ent.*, vol. 45: pp. 695-699, 1 fig. Aug. 1952. Phenology of *Trichoplusia ni*, *Plutella maculipennis*, *Pieris rapæ*, *Hellula undalis*, and some noctuids, over 4 years. [P.B.]
- Reisser, Hans, "Neue oder bemerkenswerte Falterfunde aus dem Bergenland und aus Niederösterreich" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 34: pp. 141-146. 31 Dec. 1949. Annotated list of 84 spp.

- Risbec, J., "Notes relatives à la communication 49 de la première conférence internationale des africanistes de l'ouest: 'l'état actuel des recherches entomologiques agricoles dans la région correspondant au secteur soudanais de recherches agronomiques'" [in French]. *Bull. Inst. franç. Afr. Noire*, vol. 12: pp. 542-545. Apr. 1950. List of determinations of noxious insects. [P.B.]
- Roepke, W. K. J., "Appias en Delias uit Indonesie (Lep.)" [in Dutch, English summary]. *Ent. Berichten*, vol. 15: p. 26. 1 Feb. 1954.
- Roivainen, H., "A collection of Macrolepidoptera from Ulkokrunni" [in Finnish, English summary]. *Ann. Ent. Fennici*, vol. 19: pp. 25-29 March 1953. A list of the Macrolepidoptera of an isolated island in the Bothnian Gulf. [W.H.]
- Roniger, Hermann, "Als Sammler von Microlepidopteren rund und den Traunstein" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 31: pp. 130-147. 15 Mar. 1948. Description of area and annotated list of 203 spp. [P.B.]
- Salo, Eino, & Olavi Sotavalta, "The macrolepidopterous fauna of the parish of Lempäälä (EH). Part I." [in Finnish, English summary]. *Ann. Ent. Fennici*, vol. 18: pp. 84-133. Nov. 1952. Extensive local list of Macrolepidoptera from central Finland. [W.H.]
- Sattler, Klaus, "Die Ausbreitung des Lindenschwärmer (*Dilina tiliae* L.) in Schleswig" [in German]. *Mitt. Faun. Arbeitsgem. Schleswig-Holstein*, vol. 6: pp. 45-46. 1953. Local dist. von Schantz, Max, & Henrik Bruun, "Lepidopterologiska iakttagelser i nordvästra Enontekis (Le) 1946-48" [in Swedish]. *Notul. Ent.*, vol. 31: pp. 109-118, 1 map, 1 table. Dec. 1951. A list of Lepidoptera from northwestern Finnish Lapland. [W.H.]
- Scott, Hugh, "Journey to the Gugli highlands (southern Ethiopia) 1948-9; biogeographical research at high altitudes." *Proc. Linn. Soc. London*, vol. 163: pp. 85-189, 26 pls., 7 figs. 14 Nov. 1952. Includes mention of some Lepidoptera; references scattered, but an index is provided. [P.B.]
- Shtandel', A. E., "On the unexpected discovery of eastern Siberian butterfly species in Kuzbas" [in Russian]. *Priroda*, vol. 40, no. 4: p. 69. Apr. 1951. [Not seen.]
- Simmonds, F. J., "The small moth-borers of sugar cane, *Diatraea* spp., in Trinidat." *Trop. Agric.*, vol. 28: pp. 80-108, 1 map. Jan./June 1951. Occurrence and parasites of 3 spp. [P.B.]
- Sjöholm, Emil, "Till kännedomen om Jakobstads-traktens macrolepidopterafauna" [in Swedish]. *Notul. Ent.*, vol. 29: pp. 64-79, 1 map. March 1950. Lists 386 spp. of Macrolepidoptera from the Jakobstad region in Finland. [W.H.]
- Smith, Kenneth G. V., "Notes on the Macrolepidoptera of central Shropshire, 1948-1951" *Entomologist*, vol. 85: pp. 25-32. Feb. 1952.
- Smith, Marion E., "More butterflies from Alaska and the highway." *Lepid. News*, vol. 7: pp. 123-126. 5 Nov. 1953.
- Stadler, Hans, "Die Kleinschmetterlinge von Unterfranken" [in German]. *Nachrbl. Bayer. Ent.*, vol. 2: pp. 78-79. 15 Oct. 1953. 10 spp. new to the area. [N.O.]
- Stempffer, H., "Contribution à l'étude de l'Air. (Mission L. Chopard et A. Villiers). Lépidoptères Lycénidae" [in French]. *Mém. Inst. franç. Afr. Noire*, no. 10: pp. 167-270. 12 Dec. 1950. Annotated list of 6 spp.
- Stempffer, H., "Mission A. Villiers au Togo et au Dahomey (1950). XI. Lépidoptères Lycénidae" [in French]. *Bull. Inst. franç. Afr. Noire*, vol. 14: pp. 186-190. "Jan." Mar. 1952. Records 33 spp.; gives known distribution of each. [P.B.]
- Sterzl, Otto, "Zur Lepidopterenfauna des Waldviertels. Neue oder Bemerkungswerte Funde in der Umgebung von Arbesbach (Niederösterreich)" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 38: pp. 3-6. 1 March 1953. Notes and new records from this area; butterflies and a few Noctuidae and Larentia. [P.B.]
- Suomalainen, Esko, "Neueres über das Vorkommen der Nonne, *Lymantria monacha* L. (Lep., Lymantriidae) in Finnland" [in German]. *Ann. Ent. Fennici*, vol. 19: pp. 52-56. June 1953.
- Thurner, Josef, "Ein weiterer Beitrag zur Falterfauna Nordtirols" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 34: pp. 73-77. 15 May 1949. Annotated list of 106 spp.
- Tilden, J. W., "Range extension of *Pholisora libya* Scudder." *Pan-Pacific Ent.*, vol. 28: p. 92. 1952. Range extended from Mohave Desert across San Joaquin Valley to Coalinga, Calif. [J.T.]
- Valletta, Anthony, "Recent additions to the known Lepidoptera (Heterocera) of the Maltese Islands." *Entomologist*, vol. 84: pp. 255-257. New records are 6 noctuids, 4 geometrids, 6 pyralids, 1 pterophorid, 1 oecophorid, 1 rineid. [P.B.]
- Various authors, *Annual Report of the Forest Insect and Disease Survey*. 1951. 154 pp., maps. Department of Agriculture, Canada. 1952. Discusses forest insects by provinces. Distribution records for many spp. of Lepidoptera. [P.B.]

- Various authors, *Annual Report of the Forest Insect and Disease Survey, 1953*. 158 pp., maps. Ottawa: Dept. of Agriculture, Canada, 1954. Contains a wealth of information on the distribution and abundance of noxious Lepidoptera, with records of many parasites. [P.B.]
- Viette, P., "Note sur Madagascar" [in French]. *Rev. franç. Lépid.*, vol. 13: pp. 272-281, 3 pls. "Oct./Nov./Dec. 1952" [25 March 1953]. General account of geography and vegetation of the island, with some mention of the fauna. [P.B.]
- Viette, P. E. L., "Lépidoptères récoltés aux îles Gilbert (Pacifique centrale)" [in French]. *Ann. Soc. Ent. France*, vol. 122: pp. 123-130. "1953" [1954]. Study of a collection made recently in the Gilbert Islands. [P.V.]
- Vigneau, P., "Note sur la répartition géographique de *Gortyna leucostigma* Hb. et *Araschnia levana* Lin." [in French]. *Rev. franç. Lépid.*, vol. 14: p. 46. 1953.
- Villiers, A., "Contribution à l'étude de l'Air. (Mission L. Chopard et A. Villiers). Lépidoptères Danaidae et Nymphalidae" [in French]. *Mém. Inst. franç. Afr. Noire*, no. 10: p. 268. 12 Dec. 1950. Annotated list: 1 danaid, 5 nymphalids.
- Vintejoux, Max. "Captures de Geometridae en Corrèze" [in French]. *Rev. franç. Lépid.*, vol. 13: p. 297. "Oct./Nov./Dec. 1952" [25 March 1953]. Records of 8 spp. new to the area. [P.B.]
- Warnecke, G., "Larentia multistrigaria Haw., eine lusitanisch-atlantische Geometride, in Mitteleuropa" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 33: pp. 38-41, 1 map. 1 Oct. 1948.
- Warnecke, Georg, "Tierwelt" [in German]. In Koehn, *Die Nordfriesische Inseln* (Verlag Cram, de Gruyter u. Co., Hamburg): pp. 61-82, pls. 53-63. 1954. Description of animal life, including Lepidoptera, of the North Friesian Islands, with two superb black and white plates of representative species. [C.R.]
- van Wisselingh, T. H., "Macrolepidoptera in 1951" [in Dutch]. *Verslag 84ste Wintervergad. Nederl. Ent. Vereen.*, pp. xciv-xcvii. 15 Dec. 1952. Gives a survey of rare captures and records *Eriopus juventina* as new for Dutch fauna. [A.D.]
- van Wisselingh, T. H., "Macrolepidoptera in 1952" [in Dutch]. *Ent. Berichten*, vol. 15: pp. 17-20. 1 Feb. 1954. Survey of Macrolepidoptera collected in 1952 in Holland. [A.D.]
- Witzmann, Johann, "Beitrag zur Lepidopterenfauna von Salzberg" [in German]. *Zeits. Wiener Ent. Ges.*, vol. 38: pp. 30-31. 1 March 1953. 16 unusual records (butterflies, Noctuidæ, Lobophora, Arctia). [P.B.]
- Wolfsberger, Josef, "Biologische und ökologische Beobachtungen am Fundort von *Rebelia bavarica* Wehrli (Lep. Psychid.)" [in German]. *Nachrbl. Bayer. Ent.*, vol. 1: pp. 4-6. 15 Jan. 1952. Habits, phenology, distribution. [N.O.]
- Wolfsberger, Josef, "Einige interessante Macrolepidopterenfunde aus den Stubaier Alpen (Nordtirol)" [in German]. *Nachrbl. Bayer. Ent.*, vol. 1: pp. 54-55, 71-72, 75-78. 15 July, 15 Sept., 15 Oct. 1952. Annotated list of the most interesting records; new localities for the area. [N.O.]
- Wolfsberger, Josef, "Die Verbreitung von *Agrotis (Opigena) polygona* F. in den Bayerischen und den angrenzenden nördlichen Kalkalpen (Lep. Noct.)" [in German]. *Nachrbl. Bayer. Ent.*, vol. 1: pp. 89-91, 1 map. 15 Dec. 1952.
- Wolfsberger, Josef, "Harmodia tephroleuca Bsd. und *Anaitis simpliciata* Tr. in den Astalpen (Lep. Noct. u. Geom.)" [in German]. *Nachrbl. Bayer. Ent.*, vol. 2: pp. 58-60. 15 Aug. 1953.
- Wolfsberger, Josef, "Bemerkenswerte Flugzeiten einiger Lepidopteren im Hochgebirge" [in German]. *Nachrbl. Bayer. Ent.*, vol. 2: pp. 73-75. 15 Oct. 1953. Phenological observations in N. Tirol. [N.O.]
- Wolfsberger, Josef, "Neue und interessante Macrolepidopterenfunde aus Südbayern und den angrenzenden nördlichen Kalkalpen (3. Beitrag zur Kenntnis der Fauna Südbayerns)" [in German]. *Nachrbl. Bayer. Ent.*, vol. 2: pp. 5-7, 13-21. 15 Dec. 1953; 15 Jan., 15 Feb. 1954. Annotated list of localities and spp. new to the area. [N.O.]
- de Worms, C. G. M., "A week's collecting in Denmark, June to July, 1950." *Entomologist*, vol. 84: pp. 221-225. Oct. 1951.
- de Worms, C. G. M., "Notes on British Lepidoptera collecting during 1951." *Entomologist*, vol. 85: pp. 78-82, 112-117. Apr. May 1952.
- Zivojinović, S., "La faune des insectes du domaine forestier de Majdanpek" [in Slavic, French summary]. *Monogr. Acad. Serbe Sci.*, vol. 160: vii 262 pp., 20 pls., 1 map. Includes annotated list of insect fauna, with 266 spp. of Lepidoptera, and more detailed notes on some noxious spp., including 21 Lepidoptera. [P.B.]

G. PHYSIOLOGY AND BEHAVIOR

- Anderson, Ann D., & R. L. Patton, "Determination of xanthine oxidase in insects with tetrazolium salts." *Science*, vol.120: p.956. 3 Dec. 1954. Including *Prodenia eridania*.
- Auclair, Jacques L., "Amino acids in insects." *Canad. Ent.*, vol.85: pp.63-68. 11 March 1953. Discusses aspects of amino acid structure and metabolism in *Galleria mellonella*, *Prodenia eridania*, and some other insects. [E.M.]
- Baldwin, W. F., & H. L. House, "Factors influencing the specific gravity of insect hemolymph." *Canad. Ent.*, vol.84: pp.131-139, 2 figs. 31 May 1952. Discusses effects of wilted foliage, parasitization, and high temperatures on specific gravity of sawfly hemolymph. Describes apparatus for determining specific gravity. Records specific gravity of hemolymphs of 5 spp. of Lepidoptera. [E.M.]
- Butenandt, Adolf, et al, "Über Ommochrome" [in German]. *Liebigs Ann. Chem.*, vol.586: pp.217-228, 229-239; vol.588:pp.106-116; vol.590: pp.75-90. 1954. Extraction of Xanthommin and related pigments of "*Vanessa urticæ*", and determination of structure of Xanthommin. [P.B.]
- Fox, H. Munro, "The colours of animals." *Endeavour*, vol.14: pp.40-47, 4 pls. Jan. 1955. Account of structural and chemical basis of animal color, referring to a few Lepidoptera. [P.B.]
- Good, M. E., F. O. Morrison, & E. Mankiewicz, "Lipolytic enzymes extracted from *Galleria mellonella* L. (Lepidoptera: Pyralidae) reared on natural and artificial media." *Canad. Ent.*, vol.85: pp.252-253. 23 July 1953. Differences in appearance and specific lipolytic activity of whole blends of larvæ fed respectively on synthetic wax-free media and on natural diets are noted. [E.M.]
- Kikkawa, H., Z. Ogita, & S. Fujito, "Nature of pigments derived from tyrosine and tryptophan in animals." *Science*, vol.121: pp.43-47. 14 Jan. 1955. Suggests that these pigments are metallic complex salts; some evidence from study of *Bombyx mori* mutants. [P.B.]
- Mercer, E. H., "A note on the digestion of wool by clothes-moth larvæ." *Biochem. Biophys. Acta*, vol.15: pp.293-295, 3 figs. Oct. 1954.
- Nayar, K. K., "Metamorphosis in the integument of caterpillars with omission of the pupal stage." *Proc. Roy. Ent. Soc. London (A)*, vol.29: pp.129-134, 4 figs. 31 Dec. 1954. Metamorphosis of larval skin transplanted to pupa demonstrated in *Ephestia*, *Galleria*, and *Pieris*. [P.B.]
- Nickerson, B., "Insect pigments and coloration." *Science News*, no.34: pp.85-94. Nov. 1954. Popular account.
- Powning, R. F., "A study of cysteine desulphydrase in certain insects." *Austral. Journ. Biol. Sci.*, vol.7: pp.308-318, 4 figs. Aug. 1954. Including *Tineola bisselliella*.
- Salt, R. W., "The influence of food on cold hardiness of insects." *Canad. Ent.*, vol.85: pp.261-269. 23 July 1953. Cold hardiness of *Agrotis orthogonia* and *Ephestia kuehniella* larvæ is shown to be much less during feeding than during non-feeding periods before and after molting. This is attributed to the relatively high temperature at which food in the gut freezes, whereupon it inoculates freezing in the insect tissues. [E.M.]
- Shappirio, David G., "The cytochrome system of the Cecropia silkworm in relation to diapause and adult development." *Anat. Rec.*, vol.120: pp.731-732. Nov. 1954. Abstract only.
- Smith, Roger D., & Howard A. Schneiderman, "The healing of epidermal wounds in diapausing pupæ of the silkworm." *Anat. Rec.*, vol.120: pp.724-725. Nov. 1954. *Platysamia cecropia*; abstract only.
- Sullivan, C. R., & W. G. Wellington, "The light reactions of larvæ of the tent caterpillars, *Malacosoma disstria* Hbn., *M. americanum* (Fab.), and *M. pluviale* (Dyar). (Lepidoptera: Lasiocampidae)." *Canad. Ent.*, vol.85: pp.297-410. 16 Sept. 1953. At room temperatures larvæ of all 3 spp. are photopositive to point or diffuse sources; starvation intensifies the response. Overheated larvæ of *M. disstria* and of first 3 instars of the other 2 spp. become photonegative to diffuse light. Late instars of *M. americanum* and *M. pluviale* become more strongly photopositive, a response associated with abandonment of the overheated tent. Older larvæ traveling on the ground go towards the sun when cool, parallel to it when warmer, away from it when hot. The apparent inconsistency in behavior of older larvæ of *M. pluviale* and *M. americanum* is attributed to a differential response between polarized solar irradiation and unpolarized light diffused through tent walls. [E.M.]