

RECENT LITERATURE ON LEPIDOPTERA

(Under the supervision of PETER F. BELLINGER)

Under this heading are included abstracts of papers and books of interest to lepidopterists. The world's literature is searched systematically, and it is intended that every work on Lepidoptera published after 1946 will be noticed here; omissions of papers more than 3 or 4 years old should be called to Dr. BELLINGER's attention. New genera and higher categories are shown in CAPITALS, new species and subspecies are noted, with type localities if given in print.

B. SYSTEMATICS AND NOMENCLATURE

- Razowski, Josef, "Neue und wenig bekannte paläarktische Wickler-Arten (Lepidoptera, Tortricidae)" [in German]. *Zeitschr. wiener ent. Ges.*, vol.44: pp.81-87, 2 pls., 8 figs. 1959. Describes as new: *Cnephasia divisana* (Neapolis, Crete), *C. pumicana hagnosana* (Hagnos Athanasios, Cyprus), *C. zernyi* (Tachdirt, 2200-2700 m., High Atlas, Morocco); *Eana kuldjaensis* (Kuldza, E. Thian), *E. schoenmanni* (Tachdirt, 2200-2900 m., High Atlas, Morocco); *Acleris boscanoides* (Stari Dojran, Macedonia). Some new synonymy and generic placements. Descriptive & distributional notes on other spp. of *Cnephasia*. [P. B.]
- Razowski, Józef, "Remarks on the family Carposinidae" [in Polish]. *Bull. ent. Pologne*, vol.29: pp.163-166, 7 figs. 1959. Both Central European spp. (*Carposina scirrhosella* & *C. berberidella*) are described & genitalia figured. [J. M.]
- Razowski, Josef, "Some remarks on Phaloniidae" [in English; Polish summary]. *Bull. ent. Pologne*, vol.29: pp.437-446, 19 figs. 1959. Describes as new *COCHYLIMORPHA* (type *Cochylis favillana* Staudinger). [J. M.]
- Razowski, Josef, "Remarks on the types of some African Tortricidae" [in English; Polish summary]. *Bull. ent. Pologne*, vol.30: pp.169-172, 4 figs. 1960. Some spp. described by Meyrick are discussed and genitalia are figured. Without new taxa. [J. M.]
- Rebillard, P. (with descriptions of new taxa by Lathy and Le Cerf), "Contribution à la connaissance des Riordinidae sud-américains" [in French]. *Mém. Mus. national Hist. nat.*, n.s., A, *Zool.*, vol.15: pp.135-216, 10 pls. (4 in color), 9 figs. 1958. Contribution to the knowledge of the South American Riordinidae. Results of the studies made before and during the war by Lathy and Le Cerf on the beautiful and rich collection of Mme. Fournier de Horrack. The first part is devoted to the story of this important collection. Describes as new: *Euselasia psammathe hypocala* Le Cerf (SE Colombia), *E. dione* Lathy (Colombia, Rio Putumayo), *E. gelisæ* Le Cerf (Amazons, Rio Curva), *E. pellos lineata* Rebillard (Amazons, Rio Maues), *E. orion* Le Cerf (Colombia, Rio Micay); *Mesosemia phelina calliops* Le Cerf (French Guiana), *M. p. simulans* Le Cerf (Equator, Rio Napo), *M. mayi* Lathy (Brazil, Rio de Janeiro); *Alesa fournieræ* Lathy (Amazone, Uypiranga); *Themone inornata* Lathy (Amazone, Rio Tapajoz, Barreiras); *Ancyluris gelisæ* Lathy (Amazone, Téffé); *Zelotæa lya* Lathy (Amazone); *Comphotis delicia* Lathy (Amazone, Rio Umary); *Symmacha nemesis* Le Cerf (Brazil, Santa Catharina); *Argyrogrammana cæsarion* Lathy (Brazil, Gavea); *Antheros gentilis* Rebillard (Peru, Pichis); *Charis chelonis virido* Lathy (Bolivia, Rio Songo); *Charis chelonis virido* Lathy (Bolivia, Rio Songo); *Emesis adelpha* Le Cerf (Bolivia, Rio Songo, Pebas), *E. a. vicaria* Le Cerf (higher Amazonas); *Echenais pulcherrima felcis* Lathy (SE Colombia); *Dysmathia junio* Le Cerf (Colombia, Rio Putumayo), *D. grosnyi* Le Cerf (Brazil, Rio Tapajoz). Most types in National Museum, Paris. In this important paper, one may only regret that many specific names are written with a capital letter. [P. V.]

- Rebillard, P., & P. Viette, "Les types d'*Agrias* de la collection de Mme. G. Fournier de Horrack (Lep. Nymphalidae)" [in French]. *Bull. Soc. ent. France*, vol.65: pp.109-117. 1960. List of the 137 holotypes or lectotypes of *Agrias* in this collection, now in the Paris Museum. Types of taxa described chiefly by Lathy, Le Moul't, & O. Michael. [P. V.]
- Reiss, H., "*Zygæna ephialtes* L. subsp. *parisica* n. subsp. (Lép.)" [in French]. *Bull. Soc. ent. Mulhouse*, 1959: pp.57-59. Description of new subspecies (Orgemont). The title is badly presented with the "L." and "subsp." interpolated. [P. V.]
- Reisser, Hans, "Ergebnisse der Österreichischen Iran-Expedition 1949/50. Lepidoptera I. (Macrolepidoptera)" [in German]. *Sitzungsber. österr. Akad. wiss., math.-naturw. Kl., Abt.1*, vol.167: pp.519-551, 9 pls., 1 map. 1958. Describes as new *Discestra loeffleri* & *Cucullia leptographa* (Noctuidæ; from tea house between Isfahan & Gom). Annotated list of 75 spp. (16 families) with descriptive notes on some spp. [P. B.]
- Reisser, Hans, "Neue Heteroceren aus Kreta" [in German]. *Zeitschr. wiener ent. Ges.*, vol.43: pp.105-128, 1 pl., 7 figs. 1958. Describes as new *Ochropleura* (*Dichagyris*) *melanura rhadamanthys* (Rouwa Forest, Mt. Ida, 1300 m.); *Auchmis comma minoica* (Assites, 500 m.); *Autophila anaphanes cretica* (Guverneto Monastery, Akrotiro Peninsula), *A. dilucida troničeki* (Agnaja); *Caradrina* (*Eremodrina*) *pseudopertinax cretica* (Rouwa Forest, Mt. Ida, 1300 m.); *Ennomos* (*Deuteronomos*) *duercki* (Rouwa Forest, Mt. Ida, 1300 m.); *Hemerophila trypanaria cretacara* (Rouwa Forest; foodplant privet); *Mannia psyloritaria* (Rouwa Forest, 1400 m.); also 2 "forms". Describes early stages of *C. p. cretica* & *H. t. cretacara*. Gives list of spp. recorded from Crete since Rebel's list (1916). [P. B.]
- Reissinger, Eduard, "Zur Taxonomie einiger Formen von *Colias australis*, insbesondere des Lectotypus von *Colias hyale australis* Verity (1911) (Lep. Pieridae)" [in German]. *Nachrichtenbl. bayer. Ent.*, vol.8: pp.113-122. 1959. Reviews all names which might apply to this species, and rejects all older than *australis*. The series on which the name *australis* is based includes specimens of *hyale* as well, and the locality is suspect. The lectotype definitely belongs to this species, however, and the given locality (Andalusia) might be right. Discusses geographic variation & distribution; raises *untercalida* to rank of subspecies (S. France only). Genitalic distinction between *australis* & *hyale* appears to be unreliable because of variation in both spp. [P. B.]
- Remington, P. S., "More problems with *Problema* in Kansas (Hesperiidae)." *Journ. Lepid. Soc.*, vol.13: pp.15-16. 1959.
- Richardson, Austin, & Robin M. Mere, "Some preliminary observations on the Lepidoptera of the Isles of Scilly with particular reference to Tresco." *Ent. Gazette*, vol.9: pp.115-147, 2 pls. 1959. Richardson describes as new *Eumichtis lichenea scillonea* and *Agrotis puta insula* (Tresco, Scilly Isles, Cornwall, England) and names several "abs." General description of islands, discussion of fauna, and annotated list of spp. (including micros). [P. B.]
- Riley, N. D., "The genera of holarctic Theclinae: a tentative revision." *Proc. 10th internat. Congr. Ent.*, vol.1: pp.281-288. 1958. General discussion, division into groups, and key to genera (type species indicated). Revision based largely on ♂ genitalia. [P. B.]
- Rindge, Frederick H., "An additional synonym in *Annaphila* (Lepidoptera, Phalaenidae)." *Journ. New York ent. Soc.*, vol.60: p.172. 1952. *A. arvalis* (= *Brephos fletcheri*). [P. B.]
- Rindge, Frederick H., "A revision of the American species of *Deileina* (Lepidoptera, Geometridae)." *Amer. Mus. Novit.*, no.1810: 31 pp., 30 figs. 1916. Reduces *bryantaria* to ssp. of *exanthemata*, & *undularia* to ssp. of *erythemaria*. Sinks *pacificaria* to *erythemaria* & *solamata* to *borealis*. Redescription of genus and 6 American forms, with keys and distribution maps. Speculation on relative priority of *Deileina* & *Cabera*. [P. B.]

- Rindge, Frederick H., "Descriptions of and notes on North American Geometridæ (Lepidoptera)." *Amer. Mus. Novit.*, no.1784: 19 pp., 19 figs. 1956. Describes as new *Eupithecia uinta* (Uinta Mts., Uinta Co., Utah); *Hydriomena peratica* (Pine Crest, Mt. Graham, Pinoleno Mts., Ariz., 7300 ft.). Sinks *Glena cribrataria* to *G. fuliginaria*; *Itame crassata* to *G. cognataria*; *Jenana* to *Chesiadodes*. Keys to spp. of *Pseudoboarmia* (including *luridula*) & *Chesiadodes*. Sinks *Euchlæna vinulenta* to *E. nodusaria*; transfers *deplanaria* from *Ellopia*; places *astylusaria* as ssp. of *amænaria*. Descriptive notes on *Eupithecia slossonata* & *E. jejumata*. [P. B.]
- Rindge, Frederick H., "Descriptions of and notes on North American Geometridæ (Lepidoptera), no.2." *Amer. Mus. Novit.*, no.1872: 23 pp., 29 figs. 1958. Describes as new *Stannodes artemis* (Pinery Canyon, Chiricahua Mts., Cochise Co., Ariz.), *S. lampira* (Madera Canyon, Santa Rita Mts., Pima Co., Ariz.); *SPERRYA* (monobasic), *S. cervula* (Patagonia, Santa Cruz Co., Ariz.); *Galenara olivacea* (Pinery Canyon), *G. stenomacra* (Coulter's Ranch Camp, S. fork of Little Colorado R., White Mts., Apache Co., Ariz.); *Carphoides setigera* (Pinery Canyon); *Stenoporpia mediatra* (Pinery Canyon). Notes on *Hydriomena arizonata* & *Glena cognataria* (synonymy). *Psaliodes ferveescens* new to USA. [P. B.]
- Rindge, Frederick H., "Descriptions of and notes on North American Geometridæ (Lepidoptera), no.3." *Amer. Mus. Novit.*, no.1910: 24 pp., 26 figs. 1958. Describes as new *Sterrhia insulensis* (Tavernier, Monroe Co., Fla.); *Semiothisa sanfordi* (Port Sewell, Martin Co., Fla.); *Mericisca scobina* (Southwest Research Station, Cochise Co., Ariz., 5400 ft.); *Merisma ceræa* (Pine Crest, Mt. Graham, Pinaleno Mts., Graham Co., Ariz., 7300 ft.); *Glena arcana* (Huachuca Mts., Ariz.); *Euchlæna silacea* (Vineyard, Utah Co., Utah); *Pityjea ornata* (Southwestern Research Station). Sinks *Macaria transitaria* to *Semiothisa distributaria*. Transfers *Mericisca fumida* to *Ultracis*. [P. B.]
- Rindge, Frederick H., "A revision of *Glaucina*, *Synglochis*, and *Eubarnesia* (Lepidoptera, Geometridæ)." *Bull. Amer. Mus. nat. Hist.*, vol.118: pp.261-365, 5 pls., 106 figs. 1959. Describes as new *G. biartata* (Rosario, Baja Calif.), *G. cilla* (Vidal, San Bernardino Co., Calif.), *G. bæa* (Borrego, San Bernardino Co., Calif.), *G. eupitheciaria lucida* (Palm Springs, Riverside Co., Calif.), *G. e. escariola* (18 mi. N. of Rodeo, Hidalgo Co., New Mexico), *G. ampla* (upper Santa Ana R., San Bernardino Co., Calif.), *G. bifida* (Split Rock Tank, Mohave Desert, Riverside Co., Calif.), *G. gertschi* (Matachic, Chihuahua, Mex.), *G. gonia* (upper Santa Ana R., San Bernardino Co., Calif.), *G. g. microgonia* (Independence, Inyo Co., Calif.), *G. platia* (Inyo Mts., 9000 ft., Inyo Co., Calif.), *G. nephes* (Rock Creek Canyon, El Paso Co., Colo.), *G. spina* (San Pedro, Mexico City, D. F., Mex.), *G. panda* (Actopan, Hidalgo, Mex.), *G. dispersa* (Frijoles Canyon, Bandelier National Monument, Sandoval Co., New Mex.), *G. nota* (Davis Mts., Tex.), *G. eureka agnesæ* (Palm Springs, Riverside Co., Calif.), *G. loxa* (Trout Creek, Ibapah Mts., Juab Co., Utah), *G. anomala* (Redington, Pima Co., Ariz.); *E. ritaria arida* (Borrego, San Diego Co., Calif.); *PARAGLAUCINA* (type *G. hulstinaria*). 38 spp. in 4 genera, all from SW U.S. & Mexico. Keys to genera & spp. [P. B.]
- Rindge, Frederick H., "Descriptions of and notes on North American Geometridæ (Lepidoptera), no.4." *Amer. Mus. Novit.*, no.1968: 17 pp., 13 figs. 1959. Describes as new *Semiothisa cydica* (Tehuacan, Puebla, Mexico); *Stenoporpia asymmetra* (Pinery Canyon, Chiricahua Mts., Cochise Co., Ariz.). Revision of *s-signata* group of *Semiothisa*, including also *S. cyda* & *S. melanderi*. [P. B.]
- Roepke, W., "The genus *Nyctemera* Huebner. II." *Tijdschr. Ent.*, vol.100: pp.147-178, 2 pls., 12 figs. 1957. Describes as new *N. floresicola clarior* (Kaju Aro, Mt. Korintji, 1600 m., Sumatra), *N. f. corbeti* (Bukit Kutu, Malaya), *N. malaccana* (Pahang, Cameron Highlands, 4000 ft., Malaya), *N. æres vandenberghi* (Minahassa, Celebes), *N. baulus moluccana* (Halmahera), *N. muelleri enganica* (Engano), *N. tripunctaria simalura* (Simalur); also several "forms". Revision of spp. from

- Sumatra & Malaya, and discussion of various spp. from other parts of the oriental region. [P. B.]
- Roeppke, W., "Das Weibchen von *Delias benasu* Martin" [in German]. *Zool. Meded., Leiden*, vol.36: pp.299-301, 1 pl. 1959. Describes & figures first known ♀ of Celebes sp. [P. B.]
- Rougeot, P. C., "Description d'une nouvelle espèce d'*Orthogoniopitulum* (Lépid. Attacide) du Gabon" [in French]. *Bull. mens. Soc. linn. Lyon*, vol.27: pp.140-142, 4 figs. 1958. Describes as new *O. vitreatum* (Gaboon); the location of the holotype is not indicated; probably, unfortunately, in the author's collection. [P. V.]
- Rougeot, P. C., "Une nouvelle forme d'*Orthogoniopitulum* (Lépid. Attacidae)" [in French]. *Entomologist*, vol.91: p.253. 1958. Describes as new *O. ochraceum* (3800-4100 ft., Ituri Forest, Belgian Congo). [P. B.]
- Rougeot, P.-C., "Sur une nouvelle forme de *Micragone* (Lépid. Attacide)" [in French]. *Bull. mens. Soc. linn. Lyon*, vol.28: pp.280-281, 1 fig. 1959. Description of a new species of saturniid: *M. colettæ* (French Congo, Libreville district, N'Toum). [P. V.]
- Rougeot, P.-C., "Description d'un nouveau *Lobobunæa* du Kénia" [in French]. *Bull. Soc. ent. France*, vol.64: pp.187-188. "1959" [1960]. Describes as new *L. jeanneli* (Marakwet, Elgeyo Escarpment, 2500 m.). [P. B.]
- Rougeot, P.-C., "Un nouvel *Orthogoniopitulum* du Gabon (Lep. Attacidae)" [in French]. *Bull. Soc. ent. France*, vol.64: pp.231-232. "1959" [1960]. *O. ianthinum*, a new saturniid from Gaboon (Lastourville). [P. V.]
- Rousseau-Decelle, G., "Note sur une sous-espèce nouvelle de *Charaxes* africain (Lep. Nymphalidae)" [in French]. *Bull. Soc. ent. France*, vol.61: pp.91-92, 1 pl. 1956. Describes as new *C. bipunctatus johnsoni* (Amentia, Gold Coast). [P. B.]
- Rungs, Ch., "Contribution à l'étude du genre *Sesamia* Guen. à Madagascar (Lep. Phalaenidae)" [in French]. *Mém. Inst. scient. Madagascar, ser. E*, vol.5: pp.155-167, 1 pl., 5 figs. 1954. Study of the species of *Sesamia* in Madagascar with description of *S. viettei* (Madagascar). [P. V.]
- Rungs, Ch., "Lépidoptères du Tassili n'Ajjer" [in French]. *Inst. Recherches sahariennes, Univ. Alger—Mission scient. Tassili des Ajjer (1947)*, vol.3: pp.167-176, 1 fig. 1958. List of a small collection of Lepidoptera from locality in NE Sahara; description of *Clytie bernardi* (Noctuidae Catocalinae). [P. V.]
- Salmon, J. T., & J. D. Bradley, "Lepidoptera from the Cape Expedition and Antipodes Islands." *Rec. Dominion Mus., Wellington*, vol.3: pp.61-81, 45 figs. 1956. Salmon describes as new: (Arctiidae) *Nyctemera annulata antipodea* (Antipodes Is.); (Pyraustidae) *Mecyna antipodea* (above Ringdove Bay, Antipodes Is.); *Scoparia alba fasciata* (Campbell Is.); (Melanchridae) *Melanchria oceanica* (Ocean Is.); (Hydriomenidae) *Xanthorhoe subantarctica* (Campbell Is.). The authors jointly describe as new: (Tineidae) **ANTIPODESMA* (monobasic), *A. turbotti* (above Ringdove Bay, Antipodes Is.); (Hyponomeutidae) *TINEARUPA* (monobasic), *T. sorenseni* (Courjollles Peninsula, Campbell Is.); **CAMPBELLANA* (monobasic), *C. attenuata* (Campbell Is.); (Cosmopterygidae) *REDUCTODERCES* (monobasic), *R. fuscoflava* (Campbell Is.); (Tortricidae) *Epagoge parallela* (Auckland Is.); **SORENSENATA* (monobasic), *S. agilitata* (Campbell Is.); (Crambidae) *EXSILIRARCHA* (monobasic), *E. graminea* (Campbell & Auckland Is.). Starred genera are brachypterous; all are said to resemble small grasshoppers in appearance & behavior. *Euprotodes galathea* (Campbell Is.) is redescribed. Some other known spp. are recorded. [P. B.]
- Sarlet, L., "A propos de *Callimorpha quadripunctaria* Poda (= *hera* L.)" [in French]. *Lambillionia*, vol.58: pp.75-76. 1958. Note on *C. quadripunctaria* in S. France. [P. V.]
- Sattler, K., "Ein Beitrag zur Kenntnis der Gattung *Aroga* Busck (Lep. Gelechiidae)" [in German]. *Rev. franç. Ent.*, vol.27: pp.236-239, 4 figs. 1960. List of the species of *Aroga* in the palearctic; describes as new *A. temporariella* (France, Alps, Digne). [P. V.]

- Sattler, Klaus, "Generische Gruppierung der europäischen Arten der Sammelgattung *Gelechia* (Lepidoptera, Gelechiidae) (auf Grund der Untersuchungen der männlichen und weiblichen Genitalarmaturen)" [in German]. *Deutsche ent. Zeitschr.*, N. F., vol.7: pp.10-118, 31 pls., 2 figs. 1960. Describes as new *NEOFRISERIA* (type *Lita peliella*), *N. caucasiella* (Caucasus); *ALTENIA* (type *Gelechia perspersella*); *GLADIOVALVA* (type *Gelechia rumicivorella*), *G. pseudodorsella* (Tachdirt, 2200-2700 m., High Atlas, Morocco); *Teleiopsis* (type *Recurvaria affinis*). Proposed *Teleiodes* n.n. for *Teleia* Heinemann, nec Hübner. All available European spp. of *Gelechia* s.l., and a few spp. previously referred to other genera, are treated and assigned (sometimes tentatively) to genera. Phylogeny, especially in *Gelechia* s.str. and *Chionodes*, is discussed. Genitalia of many spp. are figured. [P. B.]
- Schadewald, Gerhard, "*Colias australis calida* Verity und *hyale* L. (Lep. Pieridae) bei Jena in Thüringen" [in German]. *Nachrichtenbl. bayer. Ent.*, vol.8: pp.49-52, 2 figs. 1959. Distinguishes spp. in all stages. [P. B.]
- Schmidt, Günther, "Deutsche Namen von Schadinsekten" [in German]. *Mitt. biol. Bundesanst. f. Land- und Forstwirtschaft*, vol.84: 174 pp. 1955. List German names and specific scientific names alphabetically; index list of generic names. Only insects of medical or agricultural importance included. [P. B.]
- Schütze, Eduard, "Eupitheciien aus Tripolitanien. Eupitheciien-Studien XII" [in German]. *Zeitschr. wiener Ent. Ges.*, vol.44: pp.151-157, 3 pls., 2 figs., 1 map. 1959. Describes as new *E. jefrenata*, *E. floriata*, *E. tripolitaniata*, *E. subextremata*; records of 3 other spp. All from Jefren, 713 m., Tripolitania. [P. B.]
- Schütze, Eduard, "Neue Eupitheciien aus Griechenland. Eupitheciien-Studien XIII" [in German]. *Mitt. münchener ent. Ges.*, vol.49: pp.35-38, 1 pl. 1959. Describes as new *E. danielata* & *E. denotata hellenata*; records *E. scalptata*; all from Mt. Olympus. [P. B.]
- Schütze, Eduard, "Alte und neue Eupitheciien aus Iran (Lep. Geom.). Eupitheciien-Studien XV" [in German]. *Mitt. münchener ent. Ges.*, vol.50: pp.1-23, 13 pls. 1960. Describes as new *E. elbursiata* (N. Persia, Elburs, Tacht i Suleiman, Särdaab Valley, 2900-3200 m.), *E. icterata iranata* (Särdaab Valley, 1900-2700 m.), *E. pseudoicterata* (Särdaab Valley, 2500-2700 m.); subgenus *BOHATSCHIA* (type *E. venosata*), *E. (B.) problematicata* (same locality), *E. (B.) pfeifferata* (Särdaab Valley, Vandarban, 1900-2200 m.); *E. (Dietzea) forsterata* (Särdaab Valley, Vandarban, 2500-2700 m.). 14 spp. are tentatively assigned to *E. (Bohatschia)*. 30 spp. in all are recorded from Iran, with some descriptive notes. [P. B.]
- Seppänen, Eino J., "*Eupithecia selinata* H. S. (Lep. Geometridae) neu für Nordeuropa, in Finnland gefunden" [in German]. *Ann. ent. fennici*, vol.22: pp.84-89, 3 figs. 1956. Reports the species from several localities in southern Finland. Figures ♂ and ♀ genitalia of *E. selinata* & *E. trisignaria*. Describes larva, pupa, & biology of *E. selinata*. [W. H.]
- Sieder, Leo, "Neue paläarktische Psychiden (Lepidoptera, Psychidae)" [in German]. *Zeitschr. wiener ent. Ges.*, vol.44: pp.145-150, 1 pl. 1959. Describes as new *Sciopetris amseli* (Herat-Kala, Nao Kashka Pass, 1800 m., W. Afghanistan); *PELOPONNESIA* (and *PELOPONNESIINÆ*) (monobasic), *P. megaspiliella* (Megaspiläon, Chelmos region, 1000 m., Greece). [P. B.]
- Sperry, John L., "Another synonym, Lepidoptera, Geometridae." *Bull. Brooklyn ent. Soc.*, vol.47: p.83. 1952. Transfers *Lygris pulcherrima* to *Snowia* (Ennominae) & sinks *Azelina waltonaria* to it. [P. B.]
- Sperry, John L., "A *Racheospila* species from Tulare Co., California apparently undescribed. (Lepidoptera, Geometridae)." *Bull. Brooklyn ent. Soc.*, vol.48: pp.26-27. 1953. Describes as new *R. hennei* (Smoky Valley, Tulare Co.). [P. B.]
- Stallings, Don B., & J. R. Turner, "The names for the suprageneric categories of the Megathymidae." *Lepid. News*, vol.12: pp.93-94. 1959. Proposes new tribe AGATHYMINI.