

- Ges.*, 46: 23–28, 14 figs. 1961. Notes on 28 types, giving label data, generic assignment, & brief descriptions or figures of genitalia. [P. B.]
- Razowski, Józef, "Studies on Cochyliidae. Part VI. Remarks on the types of some Cochyliidae" [in English; Polish summary]. *Bull. ent. Pologne*, 31: 301–319, 36 figs. 1961. Describes as new *PROHYSTEROPHORA* (type *Cochylis chionopa*) and *Euxanthoides hannemanni* (Israel: Jordan Valley and Jerusalem). Many new combinations & new synonyms. [J. M.]
- Razowski, Józef, "Two new species and one new subspecies of the genus *Cnephasia* Curt. (Tortricidae)" [in English; Polish summary]. *Bull. ent. Pologne*, 31: 105–107, 4 figs. 1961. Describes as new *C. jozefi* (Aflou, Prov. Oran), *C. tremewani* (Sidi-bel-Abbès, Prov. Oran), and *C. sareptana alatauanana* (Ala Tau Mts. and Aremnia, Eriwan). The genitalia of all new forms are described and figured. [J. M.]
- Razowski, Józef, & Tosiro Yasuda, "Description of new Japanese *Acleris*-species (Lepidoptera, Tortricidae)" [in English; Japanese summary]. *Trans. Lepid. Soc. Japan*, 14: 80–89, 36 figs. 1963. Describes as new *A. simplex* (Tokusawa, Nagano Pref.), *A. hokkaidana* (Hokkaido), *A. electrina* (Kasugayama, Nara Pref.), *A. crassa* (Hosono, Nagano Pref.), *A. phantastica* (Sigakoogen, Nagano Pref.), *A. ophthalmica* (Sigakoogen), *A. takeuchii* (Ikeno, Gifu Pref.), *A. roxana* (Takayama, Gifu Pref.); *A. ulmicola* is a good species. [P. B.]
- Rebillard, P., "Révision systématique des lépidoptères nymphalides du genre *Agrias*" [in French]. *Mém. Mus. nat. Hist. nat.*, n.s., A, *Zool.*, 22: 157–254, 1 col. pl., 2 pls. 1961. Study of the morphology and the geographical distribution of the genus *Agrias*. Bibliography of the 300 and more names included in this genus. [P. V.]
- Reisser, Hans, "Hyphantria cunea Drury in Europa (Lepid., Arctiidae) (Der 'amerikanische Webbär')" [in German]. *Zeitschr. wiener ent. Ges.*, 45: 51–61. 1960. Discusses problem of correct name for form found in Europe, concluding that *textor* is merely an extreme pale variant. Translates Drury's and Harris's descriptions. Surveys literature on occurrence and biology in Europe, with comments. [P. B.]
- Reisser, Hans, "Beiträge zur Kenntnis der Sternhinae (Lep., Geom.) V. Was ist *Sterrha dilutaria praeustaria* Lah. (Mann i.l.)?" [in German]. *Zeitschr. wiener ent. Ges.*, 47: 21–24. 1962. Describes as new *S. d. illyrica* (Illyria, Tergeste, Cerovlje); "praeustaria" is a "form." [P. B.]
- Reisser, Hans, "Ocneria eos sp. nov., eine neue Lymantriide aus Kreta (vorläufige Beschreibung)" [in German]. *Nachrichtenbl. bayer. Ent.*, 11: 9–10, 3 figs. 1962. Type locality Genni Gavé, N. Crete. [P. B.]
- Reisser, Hans, "Weitere neue Heteroceren aus Kreta" [in German]. *Zeitschr. wiener ent. Ges.*, 47: 193–216, 4 pls., 9 figs. 1962. Describes as new *Axia vaulogeri nesiota* (Assites, 800 m.); *DANIELOSTYGIA* (monobasic), *D. persephone* (Wurwulitis); *Phragmacossia albida minos* (Knossos); *Cryphia rectilinea insulicola* (Assites, 500 m.), *C. raptricola cretica* (Ida, Silva Rouva, 1,300 m.); *Phragmatoecia erschoffi* ("Buchara Haus —"). Redescribes *Ocneria eos*. Comparative notes on *Phragmacossia* spp. & *Phragmatoecia*. Notes on *Cosymbia ariadne* & *Dyscia crassipunctaria* (names a fall generation). List of recent additions to the fauna of Crete. [P. B.]

---

## INDEX TO VOLUME 19

(New names in **boldface**; synonyms in *italics*)

- Achylodes tamenund, 20  
 Achalarus, lyciades, 27, 51, 193  
     toxeus, 27  
 Acronicta brumosa, 189
- Agapema galbina, 42  
 Agraulis vanillae, 33, 114, 232  
 Airplane, collections by, 129  
 Alabama argillacea, 133

- Alsophila pometaria, 226  
 Amblyscirtes, nysa, 180  
     vialis, 2  
 Amatidae, 133  
 Ampelocera myron, 189  
 Amsel, H. G., Microlepidoptera Palaeoarctica, 117  
 Anacampsis, 134  
 Anaea, aidea, 113, 192  
     andria, 34  
 Ancyloxypha numitor, 196  
 Annaphila pseudoastrologa, 237  
 Anthanassa, 223  
 Antherea polyphemus, 226  
 Anthocharis, genutia, 50  
     pima, 112  
     sara, 112, 232  
 Apodemia, mormo, 112  
     nais, 112, 232  
     palmerii, 112  
 Appias drusilla, 110, 226  
 Apter, R. L., Connecticut records of Thymelicus, 195  
 Arctiidae, 69, 82, 226, 228  
 Arethusana, 202  
 Aristotelia, 134  
 Asterocampa, 200; celtis, 113, 180  
     clyton, 180  
     lcilia, 113  
     subpallida, 113  
 Atalopedes campestris, 180  
 Atlides halesus, 112  
 Atreides plebia, 189  
 Atrytonopsis, hianna, 215, 219  
     vierecki, 220  
 Automeris, 226; zephyria, 82  
 Baron, O. T. (1847–1926), 35  
 Battaristis concinnsella, 134  
 Battus philenor, 109, 223, 229  
 Bedellia somnulentella, 135  
 Bell, E. L. (1876–1964), 190  
 Biston betularia, 228  
 Blastobasidae, 134  
 Boisduval letters, 197  
 Boloria, 200, 201, 202, 204  
     astarte, 60  
     chariclea, 58, 59  
     distincta, 62  
     eunomia, 61, 184, 242  
     freija, 242  
     frigga, 58, 59, 242  
     improba, 60  
     napaea, 60, 61  
     polaris, 242  
     selene, 62, 242  
     titania, 59, 62, 242  
     toddi, 104, 242  
 Bomolocha, 133  
 Book Notices, 46, 62, 90, 164, 230  
 Book Reviews,  
     Butterflies and Moths, 225  
     Butterflies of San Francisco Bay Region, 138  
     Fauna U.S.S.R.; Tineidae, Nemapo-goninae, 102  
     Prodromus Lepidopterorum Sloviae, 81  
 Bowden, S. R., correction, 170  
 Brephidium exilis, 112  
 Brown, F. M., O. T. Baron, 35  
     Boisduval letters and Melitaea identities, 197  
     Method for overwintering larvae, 187  
 Brown, K. S., Jr., Arizona butterflies, 107  
     Unusual California butterfly records, 171  
 Bucculatrix, 135  
 Burns, J. M., Connecticut records of Thymelicus, 195  
 Butterflies at light, 179  
 Caenurgina caerulea, 165  
 Calephelis virginensis, 49  
 Callophrys, apama, 112, 232  
     gryneus, 49  
     irus, 50  
     macfarlandi, 177  
 Calpodes ethlius, 2  
 Cardé, R. T., Taxonomic notes on Holomelina, 69  
 Catocala cara, 52  
 Celastrina argiolus, 50, 113, 232  
 Celerio lineata, 189  
 Celotes nessus, 6, 133  
 Celyphoides cespitana, 134  
 Cratomia, 189  
 Cercyonis, 202, 203, 204  
     ariane, 161  
     oetus, 114, 164  
     pcgala, 114, 179  
     silvestris, 164  
     stephensi, 161  
     sthenele, 232  
 Chionodes, 134; albofasciatus, 29  
 Chlaenogramma jasminearium, 189  
 Chlosyne, gorgone, 48  
     lacinia, 113, 232  
     nycteis, 48  
 Citheronia sepulchralis, 189  
 Clench, H. K., Migration of Libytheana and Kricogonia, 223  
 Beginning of the butterfly season, 239

- Cleora manitoba, 190  
 Cochlididae, 190  
 Coenonympha kodiak, 192  
 Cogia outis, 23  
 Coleophoridae, 134  
 Colias, 200, 202  
     alexandra, 61, 232  
     boothii, 60  
     cesonia, 34, 110, 232  
     chrysomelas, 39  
     eurytheme, 110, 133, 182, 183, 192,  
       232  
     hecla, 57, 58, 61  
     nastes, 60, 61  
     palaeno, 58, 60, 61  
     pelidne, 242  
     philodice, 110, 182, 232  
     vividior, 192  
 Collection by airplane, 129  
 Coloradia pandora, 226  
 Comstock, J. A., E. R. Hulbert, 243  
 Copaeodes aurantiaca, 4  
 Correction, 170  
 Cosmopterygidae, 134  
 Cressonia juglandis, 189  
 Danaus, 192; gilippus, 114, 232  
     plexippus, 114, 137, 180, 182, 227, 232  
 Darapsa pholus, 189  
 Diakonoff, A., Book Review, Zagulajev,  
     102  
 Dichomeris ligulella, 134  
 Dolba hylaeus, 189  
 Downey, J. C., Mimicry and distribution  
     of Caenurgina, 165  
 Doryodes spadaria, 190  
 Drasteria graphica, 190  
 Durden, C. J., Speyeria callippe and  
     Artemisia, 186  
 Egg preservation, 234  
 Elasmopalpus lignosellus, 134  
 Emesis, 192; zela, 112  
 Epargyreus clarus, 30, 133, 180, 196  
 Epermeniidae, 134  
 Epiblema strenuana, 134  
     sosana, 136  
 Epistor lugubris, 189  
 Erebia, 200; canadensis, 192  
     disa, 57, 94  
     discoidalis, 57, 76  
     erinnyn, 57, 59  
     episposea, 57  
     fasciata, 57, 58, 61  
     magdalena, 59  
     rossii, 57, 58, 61  
     theano, 57, 61  
     vidleri, 76  
     youngi, 57, 58, 60, 61  
 Erora quaderna, 232  
 Erynnis, baptisae, 11  
     horatius, 11, 180  
     pacuvius, 192  
     propertius, 192  
     telemachus, 192  
 Estigmene acraea, 226  
 Estimating the butterfly season, 239  
 Eublemma obliqualis, 133  
 Euchloe, ausonides, 112  
     creusa, 112, 203  
 Euchromius ocellus, 134  
 Eucordylea, 134  
 Euherrichia moneifera, 189  
 Euphydryas, anicia, 59  
     nubigena, 172, 174  
     rubrosuffusa, 172  
     sierra, 173  
 Euphyes, bimacula, 196  
     dukesi, 148  
     vestris, 180  
 Euptoieta, claudia, 104, 114, 232  
     hegesia, 114  
 Euptychia, areolata, 139  
     cymela, 47  
     dorothea, 114, 232  
     gemma, 47  
     henshawi, 114  
     mitchelli, 148  
     rubricata, 42, 114, 232  
     septentrionalis, 151  
 Eurema, boisduvaliana, 111  
     mexicana, 112, 232  
     nicippe, 112, 232  
     proterpia, 112  
 Eurystrymon ontario, 50  
 Eutelia pulcherrima, 190  
 Evans, W. H., Larvae of Annaphila  
     pseudoastrologa, 237  
 Everes comyntas, 113, 180, 232  
 Feeding adult Lepidoptera, 233  
 Fleming, R. C., Catocala and Polygonia,  
     52  
 Freeman, H. A., New Megathymus, 83  
 Gelechiidae, 134  
 Geometridae, 133, 190, 226, 228  
 Geshna primordialis, 133  
 Gesta invisus, 18  
 Glaucoopsyche lygdamus, 167, 232  
 Glena cognataria, 190  
 Glick, P. A., Collections by airplane, 129  
 Glyphidocera, 134  
 Glyptapterygidae, 134  
 Glyptapteryx impigratella, 134  
 Gnorimoschema, 134, 136

- Gobeil, R. E., Butterflies on Kent Island, N. B., 181
- Gracillariidae, 135, 136
- Graphium marcellus, 199
- Groothuis, D., Range extension of *Pieris beckeri*, 221
- Gyrocheilus patrobas, 114, 232
- Habrodais grunus, 177
- Halisidota maculata, 226
- Hardesty, R., Range extension of *Pieris beckeri*, 221
- Heitzman, R., Life history of *Problema*, 77  
Diurnal Lepidoptera at light, 179
- Heliodinidae, 136
- Helioptetes, laviana, 7  
macaira, 9
- Heliothis zea, 133
- Hemaris diffinis, 189
- Hemimargus, gyas, 112  
isola, 112, 136, 232
- Hemihyalea edwardsi, 82
- Hemileuca, 226
- Hensel, H., Two Weeks butterfly hunting in Labrador, 242
- Hepialus, 39
- Herse cingulata, 189
- Hesperia, leonardus, 133  
metea, 215  
sassacus, 196  
viridis, 3
- Hesperiidae, 1, 51, 53, 77, 83, 91, 105,  
133, 148, 180, 190, 192, 195, 215,  
242
- Hessel, J. H., Hypaurotis at light, 55
- Hibernating larvae, 187
- Hipocrita jacobaeae, 227
- Holcocera, 134
- Holomelina, aurantiaca, 69, 71  
*costata*, 74  
*ferruginea*, 70, 72  
*fragilis*, 74  
*intermedia*, 74  
*laeta*, 74  
*lamae*, 70, 73  
*nigricans*, 73  
*opella*, 73  
*ostenta*, 74  
*pallipennis*, 74
- Howe, W. H., Status of *Agraulis* in Kansas, 33
- Hubbard, J. P., Butterflies of Pinos Altos Mountains, 231
- Huber, R. L., Record for *Erebia discoidalis*, 76
- Hulbert, E. R. (1886-1965), 243
- Hypaurotis crysalus, 55, 112, 232
- Incisalia, 226; fotis, 171
- Junonia, coenia, 113, 133  
evarete, 192
- Keiferia, 134
- Kendall, R. O., Foodplants for Texas Hesperiidae, 1  
Foodplant for *Schinia olivacea*, 105
- Kolyer, J. M., Inexpensive apparatus for photographing, 212
- Kricogonia, castalia, 223  
lysode, 111, 223
- Lambremont, E. N., Louisiana butterflies, 47
- Langston, R. L., Distribution of *Philotes*, 95  
Book Review, Tilden, 138
- Lapara, bombycoides (pineum), 206  
halicarniae, 189
- Laphygma frugiperda, 133
- Larval rearing and preservation, 233
- Legge, A. H., Collecting in Yukon and Alaska, 57
- Lephelisca nemesis, 112
- Leptotes marina, 112, 232
- Lerema accius, 133
- Lerodea eufala, 133
- Lethe portlandia, 180
- Lewis, G. G., Technique for spreading, 115
- Libytheana bachmannii, 113, 223, 232
- Limacodes rectilinea, 190
- Limacodidae, 190
- Linemitis, 200, 202; archippus, 113, 183  
arthemis, 182  
astyanax, 113, 229, 232  
bredowii, 113, 232  
lorquini, 226
- Loxostege similalis, 133
- Lycaeides, 198; argyrogynomon, 243  
melissa, 112
- Lycaenidae, 49, 55, 61, 95, 112, 136,  
165, 171, 177, 180, 182, 197, 198,  
200, 226, 232, 243
- Lycaena, americana, 183  
dorcas, 61  
hypophlaeas, 61  
mariposa, 61  
rubidus, 112, 226  
thoe, 200  
xanthoides, 171
- Lyonetiidae, 135
- Mather, B., Euptychia distribution and variation, 139
- McFarland, N., On *Automeris* and *Hemihyalea*, 82

- On *Callophrys macfarlandi*, 177  
 Notes on rearing and preserving larvae, 233  
*Megathymus yuccae*, 51, 83  
 y. *arizonae*, 88  
 y. **kendalli**, 83  
 y. *louisaeae*, 84  
 y. *reinthali*, 84  
 y. *reubeni*, 88  
 y. *stallingsi*, 83  
 y. *wilsonorum*, 83  
 y. **winkensis**, 87  
*Melitaea*, 204; *baroni*, 39  
 callina, 207  
 dymas, 114  
 elada, 208  
 fulvia, 232  
 minuta, 232  
 palla, 173  
 perse, 114  
 pola, 114, 206  
 theona, 114  
 ulrica, 208  
*Microlepidoptera Palaearctica*, 117  
*Microtheoris*, 133  
*Microtia*, 202, 114, 232  
 Migration, 223  
 Mimicry, 165, 227  
*Mitoura siva*, 112, 232  
 Moucha, J., Book Review, Hrubý, 81  
*Nastralheriminieri*, 196  
*Natalis iole*, 106, 112, 232  
*Neominois ridingsi*, 202  
*Neophasia menapia*, 109, 232  
 terlooii, 110  
*Nepticulidae*, 135  
*Neurobatha strigifinitella*, 135  
 Newcomer, E. J., Type locality of *Ceryonis stephensi*, 161  
*Noctuidae*, 52, 105, 133, 165, 183, 189, 226, 237  
*Nomophila noctuella*, 133  
*Notodontidae*, 190  
*Nymphalidae*, 33, 37, 38, 39, 42, 48, 52, 58–62, 104, 113, 133, 171, 172–175, 180, 182, 183, 184, 186, 192, 200–208, 223, 226, 227, 229, 232, 242  
*Nymphalis antiopa*, 49, 113, 182, 183, 232  
 californica, 232  
 milberti, 113  
*Oeneis*, 199, 201, 202, 203  
 bore, 61  
 brucei, 60  
 chryxus, 57, 173, 174  
 jutta, 57, 242  
 macounii, 125  
 melissa, 60, 61, 242  
 peartiae, 60  
 polixenes, 60, 61  
 taygete, 58, 242  
*Oidaematophorus*, 133  
*Ommatochila mundula*, 133  
*Paleacrita vernata*, 226  
*Panaxia dominula*, 228  
*Panoquina hacebolus*, 192  
*Panthea furcilla*, 189  
*Panthiades m-album*, 50  
*Paonias astylus*, 189  
 myops, 189  
*Papilionidae*, 37, 39, 57, 58, 60, 109, 173, 180, 182, 192, 199, 203, 205, 226, 229, 232  
*Papilio bairdii*, 109, 232  
 cespstones, 109, 192  
 eurymedon, 109, 226  
 glaucus, 57, 192  
 indra, 37, 39  
 machaon, 57, 58, 60, 226  
 multicaudata, 109, 232  
 polyxenes, 109, 182, 232  
 rutulus, 232  
 zelicaon, 173  
*Paramecera xicaque*, 114  
*Parnassius*, 199, 203, 205  
 eversmanni, 58, 60  
 dos Passos, C. F., E. L. Bell, 190  
 Addenda and Corrigenda to the "Synonymic List," 192  
*Pectinophora gossypiella*, 134, 136  
*Periploca concolorlla*, 134  
*Phalonidiidae*, 134  
 Phillips, L. S., Flight habits of *Boloria*, 104  
*Philotes*, 198; *battoides*, 95, 226  
 enoptes, 97, 98  
 sonorensis, 100, 226  
*Phlegethonius*, 189  
*Phoebeis sennae*, 111, 232  
*Pholisora catullus*, 4, 51, 196  
*Pholus*, 189  
 Photographing specimens, 212  
*Phyciodes*, 202, 204, 205  
 campestris, 114  
 mylitta, 113, 207, 232  
 picta, 114  
 texana, 48, 113, 232  
 tharos, 104, 113, 133, 180  
*Pieridae*, 34, 39, 50, 57, 58, 60, 61, 110, 133, 180, 182, 183, 192, 200, 202, 203, 221, 226, 232, 242  
*Pieris*, 200; *beckeri*, 221

- napi, 110, 192, 232  
 protodice, 110, 180, 232  
 rapae, 110, 182  
 sisymbrii, 110, 232
- Plathypena scabra*, 133  
*Plebejus*, 197, 198; *acmon*, 112, 232  
 aquilo, 243  
 argyrognomon, 61, 167  
 icarioides, 165  
 melissa, 167  
 saepiolus, 171
- Poanes hobomok*, 196  
*Polites*, coras, 196  
 mystic, 196  
 origines, 196  
 sonora, 192  
 themistocles, 180, 196  
 vibex, 2
- Polygonia*, 200, 203, 205; comma, 48, 180  
 faunus, 113, 172  
 hylas, 113  
 interogationis, 52, 180  
 satyrus, 113  
 zephyrus, 113, 172, 173, 232
- Pompeius verna*, 196  
 Powell, J. A., Book Review, Mitchell and Zim, 225  
 Predation, 169  
 Preserving larvae, 234  
 Presidential address, 193  
 Problema byssus, 77  
*Pseudaletia unipuncta*, 133, 226  
*Pseudoboarmia buchholzaria*, 190  
*Pseudosphinx tetrio*, 227  
*Pterophoridae*, 133, 136  
*Pterophorus tenuidactylus*, 133  
 Pupae, injection for preservation, 236  
*Pyralidae*, 133  
*Pyralis farinalis*, 133  
*Prygus*, albescens, 91  
 centaureae, 242  
 communis, 10, 91, 105  
 oilus, 192  
 Rearing and preserving larvae, 187, 233  
 Recent Literature on Lepidoptera, 63–68, 126–128, 245–252  
 Rindge, F. H., Presidential address, 193  
*Riodinidae*, 49, 112, 192, 232  
 Ross, G. N., Louisiana butterflies, 47  
 Ruckes, H., E. L. Bell, 190  
*Saturniidae*, 42, 82, 189, 226  
*Satyridae*, 42, 47, 57–61, 76, 94, 114, 125, 136, 139, 161, 173, 179, 180, 199–204, 232, 242  
*Satyrium*, 49  
*Scepsis fulvicollis*, 133  
*Schinia olivacea*, 105  
*Schizura apicalis*, 190  
*Scythrididae*, 134, 136  
 Shapiro, A. M., Ecology and behavior of *Hesperia* and *Atrytonopsis*, 215  
 Sheppard, J. H., *Erebia* in Washington State, 94  
 Sheppard, P. M., Monarch butterfly and mimicry, 227  
*Smecrinthus cerisyi*, 226  
*Speyeria*, 200, 201, 202, 204, 205  
 aphrodite, 114  
 atlantis, 62, 114, 232  
 callippe, 171, 172, 186  
 hydaspe, 172  
 leto, 37, 38, 42  
 mormonia, 61, 114  
 nevadensis, 226  
 nokomis, 37, 114  
 zerene, 172  
*Sphingidae*, 189, 206, 226  
*Sphinx kalmiae*, 189  
 Spreading minute moths, 115  
*Staphylus mazans*, 23  
*Stegasta bosqueella*, 134  
*Strymon*, cecrops, 180  
 leda, 112, 232  
 melinus, 112, 180, 232  
 sylvinus, 112  
*Systasea pulverulenta*, 9, 21  
 Taylor, R. & B., Collecting sphingids on the Gulf Coast, 189  
 Technique for spreading, 115  
*Tetanolita mynesalis*, 133  
*Thorybes*, albosuffusa, 27  
 bathyllus, 25, 180, 196  
 pylades, 26, 51, 180, 196  
*Thymelicus lineola*, 195  
 Tilden, J. W., *Urbanus procne* and *simplicius*, 53  
 Note on *Prygus*, 91  
*Tineidae*, 102, 135  
*Tischeriidae*, 135  
*Tortricidae*, 134, 136  
*Trichoplusia ni*, 133  
*Urbanus*, procne, 53  
 proteus, 28  
 simplicius, 53  
*Vanessa*, atalanta, 113, 180, 182, 232  
 cardui, 113, 172, 180, 232  
 carye, 113  
 virginensis, 113, 173, 182, 232  
*Wallengrenia egeremet*, 196  
*Walshiidae*, 134  
*Xylophanes tersa*, 189  
 Zoological Nomenclature, 176, 224