

INDEX FOR VOLUME 63

(New names in **boldface**)

Journal of the Lepidopterists' Society
63(4), 2009, 236–238

- Aberration, 118–126
- Abisara*
- abnormis*, 74
 - attenuata*, 75–76
 - bifasciata angustilineata*, 74
 - burnii timaeus*, 77
 - echerias echerias*, 70
 - echerias paionea*, 71
 - freda*, 77
 - fylla magdala*, 76
 - kausambi*, 75
 - latifasciata*, 74
 - neophron chelina*, 75
 - saturata meta*, 71
- Adams, James K., 21, 173
- Adeloneivaia*, 214
- catharina*, 223
 - fallax*, 223, 229
 - irrorata*, 226
 - subangulata*, 223
- Adelowalkeria*, 214
- flavosignata*, 223
 - tristygma*, 223
- Adult resources, 83–88, 179–181
- Aeglotis*
- argentalis*, 187–188, 191, 197–198
- Agraulis vanillae*, 127
- Almeidella*, 214
- approximans*, 222, 227, 229
 - corrupta*, 222, 229
- Anacrusis*, 27
- Arctonotus*, 233–235
- lucidus*, 233–235
- Argyrarcha*, 185, 197
- margarita*, 188, 191, 198–199
- Arizona, 1–10
- Arsenura*, 214
- aspasia*, 225
 - armida*, 217, 229
 - biundulata*, 217, 227
 - orbignyana*, 217, 229
 - pandora*, 226
 - xanthopus*, 217
- Arsenurinae*, 214–232
- Asplundia*, 141, 148
- Astrartes fulgurator*, 142
- Astrotischeria*, 93, 98–99
- Atteria*, 27
- Autocharis*, 185, 195, 197, 199–200
- albiplaga*, 188, 191, 198
 - barbieri*, 187–188, 190–191, 194, 198
 - fessalis*, 188, 190–191, 197
 - mimetica*, 188, 191, 198
- Barcoding, 100–109, 141–153
- Basonga*, 185, 192, 200
- Bilateral gynandromorphs, 37–47
- Biogeography, 61–62, 199
- Boeotarcha*, 185
- Boloria*
- eunomia dawsoni*, 177
 - frigga saga*, 177–178
- Books, 154–163
- Book reviews, 58, 182
- Borkowsky, Christie, 110
- Brazil, 214–232
- Burns, John M., 137
- Caio*, 214
- romulus*, 227
- Calhoun, John V., 137
- Callaghan, Curtis J., 61
- Callophrys augustinus*, 177
- Canada, 31–36
- Canavalia pubescens*, 13
- Caripeta*
- divisata*, 164–165
 - piniata*, 164
 - triangulata*, 164–165
- Caribbean, 185–204
- Catocala*
- andromache*, 89, 92
 - benjamini ute n. ssp.***, 89–92
 - chelidonia*, 92
 - delilah*, 89, 92
- Catocalinae, 1–10, 89–92
- Ceratocampinae, 214–232
- Cicia*, 214
- crocata*, 222, 226, 229
 - nettia*, 222, 227, 229
 - romulus*, 217
- Cissia*
- alcinoe*, 171
 - confusa*, 171
 - usitata*, 171
- Citheronia*, 214
- brissotii*, 221, 226–227, 229
 - johnsoni*, 221, 227, 229
 - laocoon*, 215, 221, 227
 - splendens*, 226
- vogleri*, 221, 227
- Cithaerias*
- menander*, 169
 - piereta*, 169–172
- Citioica*, 214
- anthonilis*, 225
- Climate change, 212
- Cliniodes*, 199
- costimacula*, 188, 191, 198
 - euphrosinalis*, 200
 - glaucescens*, 200
 - opalalis*, 188, 190–191, 200
 - ostreonalis*, 188, 190–193, 200
 - paradisalis*, 185–186, 188, 191–192, 195, 197–198, 200
- Clupeosoma*, 200–201
- atristriatum*, 187–188, 191, 198
 - orientalale*, 185, 188, 191–192, 198, 200
 - sericiale*, 188, 191, 198
 - vohilavale*, 185, 188, 191–192, 198
- Collections, 31–36
- Collins, Michael M., 58
- Color mosaics, 37–47
- Connolly, Bryan, 48
- Conservation, 83–88
- Copiopteryx*, 214
- derceto*, 220
 - semiramis phoenix*, 225
 - sonthonnaxi*, 220
- Coptotriche japoniella*, 93–99
- Corseuil, Elio, 214
- Covell, Charles V., Jr., 58, 209
- Crambidae, 11–20, 185–204
- Cyclanthus*, 141, 148
- Cynaeda dentalis*, 186, 188, 190–191, 197
- Database, 209–213
- Deanolis*, 187, 197, 200
- sublimbalis*, 188, 190–191, 200
- Decelia terrosalis*, 200
- Deering, Mark, 37, 118
- deMaynadier, Phillip G., 177
- DeVries, Phil, 182
- Diapause, 127
- Dicepolia*, 195
- munroalis*, 187–188, 191, 198–200
 - roseobrunnea*, 188, 190–191, 197
 - rufitinctalis*, 185–186, 188, 191, 198

- Dichrocrocis catalalis, 201
- Dodona*
- adonira*, 67
 - deodata*, 69
 - egeon*, 67–68
 - katerina*, 65–66
 - lecerfi*, 69
 - longicaudata*, 69
 - maculosa phuongi*, 68–69
 - oida palaya*, 67
 - speciosa*, 68
- Dombroskie, Jason J., 31
- Drasteria*
- adumbrata alleni*, 1
 - convergens*, 3
 - divergens*, 1, 5, 8–10
 - fumosa*, 1, 6, 8–10
 - graphica atlantica*, 1
 - hastingsii*, 1
 - howlandi*, 1
 - inepta*, 1
 - nichollae*, 1
 - rada*, 1
 - sabulosa abrupta*, 1
 - tejonica*, 1, 5
 - walshi n. sp.**, 1–10
- Dulcedo polita*, 169, 171
- Dysdaemonia*, 214
- boreas*, 225
 - brasiliensis*, 217
 - fosteri*, 226
- Eacles*, 214
- bertrandi*, 214, 221, 227, 229
 - ducalis*, 220, 227, 229
 - imperialis cacicus*, 226
 - imperialis imperialis*, 226
 - imperialis magnifica*, 215, 220, 227, 229
 - mayi*, 214, 221, 227, 229
 - penelope*, 226
- Education, 209–213
- Egira*, 23, 25
- Endangered species, 110–117, 212
- Ennominae, 164–165, 166–168
- Epascestria*, 200
- Ephelis*, 187, 197
- cruentalis*, 188, 191, 198
- Epipagis*
- flavispila*, 200
 - ocellata*, 187–188, 191, 198, 200–201
- Euproserpinus phaeton*, 234
- Eurrhysis pollinalis*, 188, 190–191, 197
- Eurya*
- emarginata*, 93
 - japonica*, 93
- Extinction, 11–20
- Extra-floral nectar, 83–88
- Ferris, Clifford D., 164, 166
- Florida, 127
- Following behavior, 179–181
- Geometridae, 164–165, 166–168
- Godsoe, William K., 137
- Grindelia integrifolia*, 83–88
- Hadeninae, 21–26
- Haetera macleannania*, 169, 171
- Haines, William, 11
- Hajibabaei, Mehrdad, 137
- Hallwachs, Winnie, 137
- Hapalia iospora*, 200
- Harris, Thaddeus W., 154–163
- Hawaii, 11–20
- Hayden, James, 185
- Hebert, Paul D. N., 137
- Heliconia*, 141, 148
- Heliconius*
- erato*, 179
 - ethilla*, 179–181
- Hemaris*
- diffinis*, 100–108
 - gracilis*, 100, 105
 - senta*, 100–101, 103–105
 - thetis*, 100–109
 - thysbe*, 100
- Hemiscopsis*, 187, 197
- suffusalis*, 188, 190–191
- Henshaw, Samuel, 154, 160
- Heortia*, 187
- dominalis*, 188, 191, 198
 - vitessoides*, 188, 190–191
- Hesperia*
- colorado idaho*, 129–136
 - comma*, 129, 134–135
 - juba*, 129–136
- Hesperiidae, 129–136, 141–153
- Heteropogon contortus*, 11–13, 15
- Himella*, 23
- Host choice, 48–51, 94–97, 137–140, 148, 169–172, 197
- Hyalinarcha hyalinalis*, 185–186, 189, 191–192, 197–198
- Hybrids, 37–47
- Hydrorybina*, 187, 197
- polusalis*, 189–191
- Hyles gallii*, 110–111
- Hyphantrophaga virilis*, 127
- Immatures, 12–15, 48–51, 93–99, 129–136, 169–172
- James, David G., 129
- Janzen, Daniel H., 137
- Japan, 93–99
- Johnson, Charles W., 154, 160
- Karacetin, Evrim, 83
- Kawahara, Akito Y., 233
- Kentucky, 209
- King, Cynthia, 11
- Lafontaine, J. Donald, 173
- Laxita thuisto*, 79
- Leafmining, 48–51, 93–99
- Learning, 179–181
- Lespesia aletiae*, 127
- Life history, 11–20, 48–51, 93–99, 127, 129–136
- Limenitis*
- arthemis arthemis*, 41
 - arthemis astyanax*, 41
- Lycaena xanthoides*, 83–88
- Lycaenidae, 83–88
- Lysimachia ciliata*, 48–51
- Maine, 177–178
- Manolis, T. D., 182–183
- Marcus, Benjamin D., 209
- Marcus, Jeffrey M., 209
- Mecyna catalalis*, 187, 189, 191, 197–198, 200–201
- Mecynarcha apicalis*, 189, 191, 195, 198–199
- Melanism, 37–47, 118–126
- Melitara*
- dentata*, 31–35
 - junctionella*, 31
 - nephelepasa*, 31, 33
 - subumbrella*, 31–36
- Mercader, Rodrigo, 37
- Metanema*
- brunneilinearia*, 166–168
 - determinata*, 166
 - inatomaria*, 166–167
- Metlevski, Jan, 1
- Metrea*, 185–186, 192, 200
- Mielkesia*, 214
- paranaensis*, 214, 222, 227, 229
- Mimicry, 169–172
- Mimoschinia rufofascialis*, 189–191, 197
- Morrisonia*,

- confusa*, 22, 25–26
evicta, 22, 24–26
latex, 22–26
mucens, 25
***triangula* n. sp.**, 21–27
Moser, Alfred, 214
Munroe, Eugene G., 52–57
Murillo-Hiller, Luis Ricardo, 169
Musa, 141, 148
Nectaring, 83–88, 110–117
Neocarnegia, 214
basirei, 225, 229
Neoxeniades
luda, 150
pluviasilva, 150
Noctuidae, 1–10, 21–26, 48–51, 89–92, 173–176
Nola
cilicoides, 48–51
sorghiiella, 50
Nolinae, 48–51
Noorda, 185, 200
Noordodes magnificalis, 185, 187, 189, 191–192, 195, 197–198
Nunes, Fabricio Guerreiro, 214
Nymphalidae, 41, 127, 154, 158–160, 169–172, 177–178, 179–181
Obituaries, 52–57
Occurrence records, 209–213
Odontiinae, 185–204
Oeneis jutta ascerta, 177
Oishi, Masako, 93
Oiticella, 214
brevis, 226
luteciae, 225
Olycella, 31–36
Omiodes
accepta, 12
continuatalis, 11–20
monogona, 13
Opuntia, 31
Orthosia, 23, 25
Osborne, Kendall H., 233
Othorene, 214
cadmus, 222, 226, 229
purpurascens, 222
Oviposition, 94–95
Papilionidae, 37–47, 118–126
Papilio
alexiares, 38
appalachiensis, 43, 45
canadensis, 37–47, 118–126, 177
“*fletcheri*”, 118–126
glaucus, 37–47, 118–126
multicaudatus, 37, 40–41, 43
rutulus, 37, 39–41, 43, 118–126
troilus, 125
Paradaemonia, 214
meridionalis, 218, 227, 229
pluto, 225
thelia, 218, 227, 229
Paralaxita telesia bouletti, 79
Parasitism, 127
Parategeticula, 137
Paspalum conjugatum, 11–13, 15
Peacock, John W., 89
Pellmyr, Olle, 137
Perichares philetas, 142
Perigonica, 23
Philodendron herbaceum, 169–172
Pierella helvetia, 169, 171
Pinheiro, Carlos E. G., 179
Pitama, 187
hermesalis, 189, 191, 197–198, 201
Pithing, 48–51
Plagiomimicus
expallidus, 176
hilli, 173
***kathyae* n. sp.**, 173–176
pityochromus, 176
spumosum, 176
tepperi, 176
Platanthera praeclara, 110–117
Pohl, Gregory R., 31
Pollination, 110–117, 137
Polygonia comma, 154, 158–159
Powell, Jerry A., 27
Prestes, Andersonn Silveira, 214–232
Procitheronia, 214
purpurea, 222, 227, 229
Prodoxidae, 137–140
Prodoxus
atascosanellus, 139
carnerosanellus, 139
***praedictus* n. sp.**, 137–140
sordidus, 137–138
weethmpi, 137–138
y-inversus, 139
Proserpinus
clarkiae, 234
flavofasciata, 234
gaurae, 234
juanita, 234
proserpina, 234
terlooii, 233
vega, 233
Pseudatteria, 27
Pseudonoorda, 200
brunneiflava, 187, 189–191, 195, 197–198, 200
distigmalis, 185–187, 189, 191, 198, 200
metalloma, 187, 200
minor, 200
nigropunctalis, 200
photina, 200
Pseudoschinia elautalis, 189–191, 197
Psilopygida, 214
crispula, 222, 226
walkeri, 222
Pyralidae, 31–36
Quercus
pauciloba, 89–92
turbinella, 89–92
Rhescyntis, 214
hippodamia, 225
pseudomartii, 214, 218, 227
Riodinidae, 61–82
Romack, Howard, 37, 118
Rubinoff, Daniel, 11, 233
Sacramento valley, 182–183
San Francisco Bay, 182–183
Sato, Hiroaki, 93
Saturniidae, 58, 214–232
Satyrinae, 169–172
Schmidt, B. Christian, 100
Scolesa, 214
hypoxantha, 225, 227
leucantha, 226
totoma, 224, 229
viettei, 225, 229
Scriber, J. Mark, 37, 118
Severns, Paul M., 83
Shapiro, A. M., 182–183
Simonsen, Thomas J., 31
Sobanga, 185, 197
rutilalis, 187, 189, 191, 197–199
Solis, M. A., 52
Sourakov, Andrei, 127

- Sphingidae, 100–109, 110–117, 233–235
Sphinx drupiferarum, 110–111
Stiboges
 elodinia, 81
 nymphidia, 81
 Stiriinae, 173–176
Stretchia, 23
***Suinoorda* n. gen.**, 185–204
 ***maccabei* n. sp.**, 185–204
 Sullivan, J. Bolling, 21
Synaxis
 brunneilinearis, 166–168
 pallulata, 164–165
 triangulata, 165–165
Syntonarcha
 iriastis, 185
Syssphinx, 214
 molina, 223
 Tachinidae, 127
Taxila
 dora, 77
 hainana, 78–79
Tegeticula, 137
Tegostoma comparale, 186, 189–191, 197, 201
Telles
 arcalaus, 141
 pyrex, 141, 151–153
Templemania, 27
Thracides
 arcalaus, 141–144, 146–148, 150–152
 chiricana, 141–142, 145–152
 phidon, 141–152
 nanea, 141–142, 148
 nida, 141–142
 panimeron, 142
 thrasea, 142
 Tina, 27
Tinacrucis
 apertana, 30
 ***noroesta* n. sp.**, 27–30
 sebasta, 30
Tischeria
 ceanothi, 93–94
 decidua, 93
 ekebladella, 93–94
 quercifolia, 93
 Tischeriidae, 93–99
Titaea, 214
 tamerlan, 214, 218, 227
 Tortricidae, 27–30
 Utah, 89–92
Vanessa comma, 154, 158–159
 Vietnam, 61–82
Viattessa, 187, 197
 bethalis, 189, 191, 198, 201
 Voltinism, 94–98
 Wagner, David L., 48, 89
 Webster, Reginald P., 177
 Westwood, A. Richard, 110
 Yoder, Jeremy B., 137
 Yucca, 137–140
Zemerus flegyas, 65
 Zolnerowich, Gregory, 1